

## Abilgos Ramos, Riza (2010) Folate profiling in wild and transgenic rice. PhD thesis, University of Nottingham.

Access from the University of Nottingham repository: http://eprints.nottingham.ac.uk/12870/7/references.pdf

## Copyright and reuse:

The Nottingham ePrints service makes this work by researchers of the University of Nottingham available open access under the following conditions.

This article is made available under the University of Nottingham End User licence and may be reused according to the conditions of the licence. For more details see: http://eprints.nottingham.ac.uk/end\_user\_agreement.pdf

For more information, please contact <a href="mailto:eprints@nottingham.ac.uk">eprints@nottingham.ac.uk</a>

## **6 REFERENCES**

**AACC 2000**. AACC method 86-47 Total folate in cereal products – microbiological assay using trienzyme extraction. *Approved Methods of the American Association of Cereal Chemists*, 10<sup>th</sup> ed., The Association, St. Paul, Minnesota, USA.

**Aiso K, Tamura T. 1998.** Trienzyme treatment for food folate analysis: optimal pH and incubation time for  $\alpha$ -amylase and protease treatment. *Journal of Nutritional Science and Vitaminology* **44**:361-370.

Al Khatib L, Obeid O, Sibai AM, Batal M, Adra N, Hwalla N. 2006. Folate deficiency is associated with nutritional anaemia in Lebanese women of childbearing age. *Public Health Nutrition* **9**:921-927.

**AOAC 2006.** *Official Methods of Analysis of AOAC International,* 18th ed. Association of Official Analytical Chemists, Washington, DC. USA.

**AOAC 1995.** *Official Methods of Analysis of AOAC International*. 16th ed. Association of Official Analytical Chemists, Arlington, VA, USA.

**Araujo P. 2009.** Key aspects of analytical method validation and linearity evaluation. *Journal of Chromatography B* **877**:2224-2234.

**Arcot J, Wootton M, Alury S, Chan HY, Shrestha AK. 2002.** Folate levels in twelve Australian wheats and changes during processing into bread. *Food Australia* **54**:18-20.

Arcot J, Shrestha A. 2005. Folate: methods of analysis. *Trends in Food Science & Technology* **16**:253-266.

**Ardrey B. 2003**. The use of MS-MS for quantitative determinations. In: Liquid chromatography-mass spectrometry: an Introduction, John Wiley and Sons, West Sussex, England, 224-233.

**Babu S, Srikantia SG. 1976.** Availability of folates from some foods. *The American Journal of Clinical Nutrition* **29**:376-379.

**Ball GFM. 1998.** Folate. In: *Bioavailability and analysis of vitamins in foods.* Chapman & Hall. Cornwall. Pp.439-495.

**Bagley P, Selhub J. 2000.** Analysis of folate form distribution by affinity followed by reversed-phase chromatography with electrochemical detection. *Clinical Chemistry* **46**:404-411.

**Bailey LB, Gregory JF III. 1999.** Folate metabolism and requirements. *The Journal of Nutrition* **129**:779-782.

**Bar-Oz B, Koren G, Nguyen P, Kapur BM. 2008**. Folate fortification and supplementation – are we there yet? *Reproductive Toxicology* doi:10.1016/j.reprotox.2008.04.010.

**Bassett GJC, Quinlivan EP, Gregory III JF, Hanson AD. 2005.** Folate synthesis and metabolism in plants and prospects for biofortification. *Crop Science* **45**:449-453.

**Baugh CM, Krumdieck CL. 1971.** Naturally occurring folates. *Annals of the New York Academy of Sciences* 186:7-28.

Bekaert S, Storozhenko S, Mershahi P, Bennett MJ, Lambert W, Gregory III JF, Schubert K, Hugenholtz J, Van Der Straeten D, Hanson AD. 2008. Folate biofortification in food plants. *Trends in Plant Science* **13**(1): 28-35.

**Blakely R, Benkovic S. 1984**. Chemistry and biochemistry of pterins. In: Folates and Pterins, Vol. 2. John Wiley and Sons, New York.

**Blakley RL. 1960**. Spectrophotometric studies on the combination of formaldehyde with tetrahydropteroylglutamic acid and other hydropteridines. *Biochemical Journal* **74**:71 – 82.

**Blakley RL. 1969.** *The Biochemistry of Folic Acid and Related Pteridines.* North Holland Publishing Company, Amsterdam.

**Boccard J, Grata E, Thiocone A, Gauvrit JY, Lanteri P, Carrupt PA, Wolfender JL, Rudaz S. 2007**. Multivariate data analysis of rapid LC-TOF/MS experiments from Arabidopsis thaliana stressed by wounding. *Chemometrics and Intelligent Laboratory Systems* **86**:189-197.

Boyles AL, Billups AV, Deak KL, Siegel DG, Mehltretter L, Slifer SH, Bassuk AG, Kessler JA, Reed MC, Nijhout HF, George TM, Enterline DS, Gilbert JR, Speer MC. 2006. Neural tube defects and folate pathway genes: Family-based association tests of gene-gene and gene-environment interactions. *Environmental Health Perspectives* **114**:1547-1552.

**Bozzo GG, Basset GJC, Naponelli V, Noiriel A, Gregory III JF, Hanson AD. 2008**. Characterization of the folate salvage enzyme *p*-aminobenzoylglutamate hydrolase in plants. *Phytochemistry* **69**:29-37.

**Brouwer IA, Dusseldorp MV, West CE, Steegers-Theunissen RPM. 2001**. Bioavailability and bioefficacy of folate and folic acid in man. *Nutrition Research Reviews* **14**:267-294.

**Bui LTT, Small DM. 2007.** Folates in Asian noodles: I. Microbiological analysis and the use of enzyme treatments. Journal of Food Science **72**:C276-C282.

**Butriss J. 2004.** Strategies to increase folate/folic acid intake in women: an overview. *Nutrition Bulletin* **29**:234-244.

**Careri M, Bianchi F, Corradini C. 2002.** Recent advances in the application of mass spectrometry in food-related analysis. *Journal of Chromatography A* **970**: 3-64.

**Catharino RR, Godoy HT, Lima-Pallone JA. 2006**. Analytical methodology for the determination of folates and folic acid in foods. *Quimica Nova* **29**:972-976.

**Cerna J, Kas J. 1983.** Folacin in cereals and cereal products. *Developments in Food Science* **5A**:501-505.

**Chen L, Chan SY, Cossins EA. 1997.** Distribution of folate derivatives and enzymes for synthesis of 10-formyltetrahydrofolate in cytosolic and mitochondrial fractions of pea leaves. *Plant Physiology* **115**:299-324.

**Chen JJ, Lu S, Lii CY. 1999.** Effects of milling on the physicochemical characteristics of waxy rice in Taiwan. *Cereal Chemistry* **76**:796-799.

**Chen L, Eitenmiller RR. 2007.** Single laboratory method performance evaluation for the analysis of total food folate by trienzyme extraction and microplate assay. *Journal of Food Science* **72**:C243-C247.

**Chen G, Fawcett JP, Mikov M, Tucker IG. 2009.** Simultaneous determination of methotrexate and its polyglutamate metabolites in Caco-2 cells by liquid chromatography–tandem mass spectrometry. *Journal of Pharmaceutical and Biomedical Analysis* **50**:262-266.

**Combs Jr. GF. 1992.** *The Vitamins. Fundamental Aspects in Nutrition and Health.* Academic Press, San Diego, CA, USA.

**Cossins E. 1987**. Folate biochemistry and the metabolism of one-carbon units. In: Davies D. (Ed.), *The Biochemistry of Plants*. Academic Press, San Diego, CA, 317-353.

**Cossins EA, Chen L. 1996**. Folates and one-carbon metabolism in plants and fungi. *Phytochemistry* **45**(3): 437-452.

**Cossins EA. 2000.** The fascinating world of folate and one-carbon metabolism. *Canadian Journal of Botany* **78**(6): 691-708.

Cyranoski D. 2003. Rice genome: a recipe for green revolution? Nature 422:796-798.

**Davis KR, Peters LJ, LeTourneau D. 1984.** Variability of the vitamin content in wheat. *Cereal Foods World* **29**:364-370.

**Dayal S, Wilson KM, Leo L, Arning E, Bottiglieri T, Lentz SR. 2006**. Enhanced susceptibility to arterial thrombosis in a murine model of hyperhomocysteinemia. *Blood* **108**:2237-2243.

**De Bree A, van Dusseldorp M, Brouwer IA, van het Hof KH, Steegers-Theunissen RPM. 1997.** Folate intake in Europe: Recommended, actual and desired intake. *European Journal of Clinical Nutrition* **51**: 643-660.

**De Brouwer V, Storozhenko S, Van De Steene JC, Wille SM, Stove CP, Van Der Straeten D, Lambert WE. 2008**. Optimisation and validation of a liquid chromatography-tandem mass spectrometry method for folates in rice. *Journal of Chromatography A* **1215** (1-2):125-132.

**De Brouwer V, ZHang GF, Storozhenko S, Van Der Straeten D, Lambert WE. 2007**. pH stability of individual folates during critical sample preparation steps in prevision of the analysis of plant folates. *Phytochemical Analysis* **18**:496-508.

**De Datta SK. 1981.** Principles and Practice of Rice Production. John Wiley Sons, New York, NY, USA. 618 p.

**De Hoffman E, Stroobant V. 2002**. Tandem mass spectrometry (MS/MS) in: Mass spectrometry principles and applications. 2<sup>nd</sup> ed. John Wiley & Sons, Ltd. West Sussex, England.

**De Hoffman E, Stroobant V. 2005.** *Mass Spectrometry Principles and Applications,* Chichester, UK, Wiley & Sons, 133-154.

**Della Penna D. 2007.** Biofortification of plant-based food: enhancing folate levels by metabolic engineering. *Proceedings of the National Academy of Sciences* **104**:3675-3676.

**De Souza S, Eitenmiller R. 1990.** Effects of different enzyme treatments on extraction of total folate from various foods prior to microbiological assay and radioassay. *Journal of Micronutrient Analysis* **7**: 37-57.

**Dettmer K, Aronov PA, Hammock BD. 2007**. Mass spectrometry-based metabolomics. *Mass Spectrometry Reviews* **26**:51-78.

**Devi R, Arcot J, Sotheeswaran S, Ali S. 2008**. Folate contents of some selected Fijian foods using tri-enzyme extraction method. *Food Chemistry* **106**:1100-1104.

**DeVries JW, Rader JI, Keagy PM, Hudson CA. 2005.** Microbiological assay tri-enzyme procedure for total folates in cereals and cereal foods: collaborative study. *Journal of AOAC International* **88**(1):5-15.

**Diaz De La Garza RI, Gregory JF, Hanson AD. 2007.** Folate biofortification of tomato fruit. *Proceedings of the National Academy of Sciences* 104:4218-4222.

**Diplock AT, Charleux JL, Crozier-Willi G, Kok FJ, Rice-Evans CA, Roberfroid M, Stahl W, Vina-Ribes J. 1998.** Functional food science and defence against reactive oxidative species *British Journal of Nutrition* **80**:S77-112.

**Doherty RF, Beecher GR. 2003.** A method for the analysis of natural and synthetic folate in foods. *Journal of Agricultural and Food Chemistry* **51**: 354-361.

**Eitenmiller RR, Landen WOJ. 1999.** Folate. In: *Vitamin analysis for health and food sciences.* Eds. RR Eitenmiller & WOJ Landen. CRC Press. New York. pp. 411-466.

**Engelhardt R, Gregory JF. 1990.** Adequacy of enzymatic deconjugation in quantification of folate in foods. *Journal of Agricultural and Food Chemistry* **38**: 154-158.

**FAO/WHO 2004.** Vitamin and mineral requirements in human nutrition. 2<sup>nd</sup> ed. Joint FAO/WHO Expert Consultation on Human Vitamin and Mineral Requirements (Bangkok, Thailand, 1988).

**Fazili Z, Pfeiffer CM, Zhang M.** Comparison of serum folate species analyzed by LC-MS/MS with total folate measured by microbiologic assay and Bio-Rad assay. *Clinical Chemistry* **53**(4): 781-784.

Fenech M, Noakes M, Clifton P, Topping D. 1999. Aleurone flour is a rich source of bioavailable folate in humans. *Journal of Nutrition* **129**: 1114-1119.

Finglas PM, de Meer K, Molloy A, Verhoef P, Pietrzik K, Powers HJ, van der Straeten D, Jagerstad M, Varela-Moreiras G, van Vliet T, Havenaar R, Buttriss J. 2006. Research goals for folate and related B vitamin in Europe. *European Journal of Clinical Nutrition* 60:287-294.

**Finglas PM. 2000**. Dietary Reference intakes for thiamin, riboflavin, niacin, vitamin B6, folate, vitamin B12, pantothenic acid, biotin and choline. *Trends in Food Science & Technology* **11**:296-297.

**Finglas PM, Wigertz K, Vahteristo L, Witthoft C, Southon S, de Froidmont-Gortz I. 1999**. Standardisation of HPLC techniques for the determination of naturally-occurring folates in food. *Food Chemistry* **64**:245-255. **Foyer CH, DellaPenna D, Van Der Straeten D. 2006**. A new era in plant metabolism research reveals a bright future for bio-fortification and human nutrition. *Physiologia Plantarum* **126**:289-290.

Fresco L. 2005. Rice is life. Journal of Food Composition and Analysis 18:249-253.

**Freisleben A, Schieberle P, Rychlik M. 2003.** Comparison of folate quantification in foods by high-performance liquid chromatography-fluorescence detection to that by stable isotope dilution assays using high-performance liquid chromatography-tandem mass spectrometry. *Analytical Biochemistry* **315**:247-255.

**FSA 2002**. Foods Standards Agency. McCance and Widdowson's The Composition of Foods, Sixth summary edition. Royal Society of Chemistry, Cambridge and the Food Standards Agency, London.

**Fung EN, Cai Z, Burnette TC, Sinhababu AK. 2001.** Simultaneous determination of Ziagen and its Phosphorylated metabolites by ion-pairing high-performance liquid chromatography-tandem mass spectrometry. *Journal of Chromatography B* **754**:285-295.

**Garbis SD, Melse-Boonstra A, West CE, van Breemen RB. 2001**. Determination of folates in human plasma using hydrophilic interaction chromatography-tandem mass spectrometry. *Analytical Chemistry* **73**(22):5358-5364.

Garratt LC, Ortori CA, Tucker GA, Sablitzky F, Bennett MJ, Barrett DA. 2005. Comprehensive metabolic profiling of mono- and polyglutamated folates and their precursors in plant and animal tissue using liquid chromatography/negative ion electrospray ionisation tandem mass spectrometry. *Rapid Communications in Mass Spectrometry* **19**:2390-2398.

**Gliszczynska-Swiglo A, Muzolf M. 2007**. pH-dependent radical scavenging activity of folates. *Journal of Agricultural and Food Chemistry* **55**:8237-8242.

**Gregory III JF. 1989**. Chemical and nutritional aspects of folate research: analytical procedures, methods of folate synthesis, stability, and bioavailability of dietary folates. *Advances in Food Nutrition Research* **33**:1 - 101.

**Gregory JF. 1996.** Folate. In: Food Chemistry. (Ed. O.R. Fennema). Marcel & Dekker. New York. pp. 590-616.

**Gregory III JF, Quinlivan EP, Davis SR. 2005**. Integrating the issues of folate bioavailability, intake and metabolism in the era of fortification. *Trends in Food Science & Technology* **16**:229-240.

**Gregory JF, Bhandari SD, Bailey LB, Toth JP, Baumgartner TG, Cerda JJ. 1992.** Relative bioavailability of deuterium-labeled monoglutamyl tetrahydrofolates and folic-acid in human-subjects. *American Journal of Clinical Nutrition* **55**:1147-1153.

**Groehn V, Moser R. 1999.** Synthesis of optically pure diastereoisomers of reduced folates. *Pteridines* **10**:95-100.

**Gujska E, Majewska K. 2005.** Effect of baking process on added folic acid and endogenous folates stability in wheat and rye breads. *Plant Foods for Human Nutrition* **60**: 37-42.

Hall RD, Brouwer ID, Fitzgerald MA. 2008. Plant metabolomics and its potential application for human nutrition. *Physiologia Plantarum* **132**:162-175.

Hanson AD, Gregory III JF. 2002. Synthesis and turnover of folates in plants. *Current Opinion in Plant Biology* 5:244-249.

Hanson AD, Gage DA, Shachar-Hill Y. 2000. Plant one-carbon metabolism and its engineering. *Trends in Plant Science* 5:206-213.

Hart DJ, Wright AJA, Wolfe CA, Dainty J, Perkins LR, Finglas PM. 2006. Production of intrinsically labelled spinach using stable isotopes (13C or15N) for the study of folate absorption. *Innovative Food Science & Emerging Technologies* **7**:147-151.

Harushima Y, Yano M, Shomura A, Sato M, Shimano T, Kuboki Y, Yamamoto T, Lin SY, Antonio BA, Parco A, Kajiya H, Huang N, Yamamoto K, Nagamura Y, Kurata N, Khush GS, Sasaki T. 1998. A high-density rice genetic linkage map with 2275 markers using a single F2 population. *Genetics* 148:479-494.

Hawkes JG, Villota R. 1989. Folates in foods: reactivity, stability during processing, and nutritional implications. *Critical Reviews in Food Science and Nutrition* **28**: 439-538.

**Herbert V. 1987.** Recommended dietary intakes (RDI) of folate in humans. *American Journal of Clinical Nutrition* **45**:661-670.

**Hjortmo S, Patring J, Jastrebova J, Andlid T. 2008**. Biofortification of folates in white wheat bread by selection of yeast strain and process. *International Journal of Food Microbiology* **127**:32-36.

**Horne DW, Krumdieck CL, Wagner C. 1981**. Properties of folic acid γ-glutamyl hydrolase (conjugase) in rat bile and plasma. *Journal of Nutrition* **111**:442-449.

Horton S. 2006. The economics of food fortification, *Journal of Nutrition* 136:1068-1071.

**Horwitz W. 1980.** Official Methods of Analysis of the Association of Official Analytical Chemists. AOAC, Washington.

Hossain T, Rosenberg I, Selhub J. Kishore G, Beachy R, Schubert K. 2004. Enhancement of folates in plants through metabolic engineering. *Proceedings of the National Academy of Sciences* **101**:5158-5163.

Hung J, Yang TL, Urrutia TF, Li R, Perry CA, Hata H, Cogger EA, Moriarty DJ, Caudill MA. 2006. Additional fod folate derived exclusively from natural sources improves folate status in young women with the MTHFR 677 CC or TT genotype. *Journal of Nutritional Biochemistry* 17:728-734.

**Hutchison ML, Jones MD, Nixon PF. 2000.** Stability of labile folate is enhanced by binding to milk folate binding protein. *Australian Journal of Dairy Technology* **55**:98.

**Hyun TH, Tamura T. 2005.** Trienyme extraction in combination with microbiologic assay in food folate analysis: an updated review. *Experimental Biology and Medicine* **230**:444-454.

**Ikeda M, Iwai K. 1975.** The intracellular localization and stability of the dihydrofolate synthetase in pea seedlings. *Journal of Nutritional Science and Vitaminology* **21**:1-6.

**Ikehashi H, Araki H. 1998.** Multiple alleles controlling F1 sterility in remote crosses in rice (*Oryza sativa L*.). *Japan Journal of Breeding* **38**:283-291.

**Imeson HC, Zheng L, Cossins EA. 1990**. Folylpolyglutamate derivatives of *Pisum sativum* L. determination of polyglutamate chain lengths by high performance liquid chromatography following conversion to *p*-aminobenzoylpolyglutamates. *Plant and Cell Physiology* **31**(2):223-231.

**Indrawati C, Arroqui I, Messagie M, Nguyen T, Van Loey A, Hendrickx M.** Comparative study on pressure and temperature stability of 5-methyltetrahydrofolic acid in model systems and in food products. *Journal of Agricultural and Food Chemistry* **52**(3):485-492.

**Iniesta MD, Perez-Conesa D, Garcia-Alonzo J, Ros G, Periago MJ. 2009.** Folate content in tomato (*Lycopersicon esculentum*). Influence of cultivar, ripeness, year of harvest, and pasteurization and storage temperatures. *Journal of Agricultural and Food Chemistry* **57**:4739-4745.

**Iwatani Y, Arcot J, Shrestha AK. 2003.** Determination of folate contents in some Australian vegetables. *Journal of Food Composition and Analysis* **16**:37-48.

Jabrin S, Ravanel S, Gambonnet B, Douce R, Rebeille F. 2003. One-carbon metabolism in plants. Regulation of tetrahydrofolate synthesis during germination and seedling development. *Plant Physiology* **131**(3):1431-1439.

Jacob RA. 2000. Folate, DNA methylation, and gene expression: factors of nature and nurture. *American Journal of Clinical Nutrition* **72**:903-904.

Jastrebova J, Witthoft C, Grahn A, Svenson U. 2003. HPLC determination of folates in raw and processed beetroots. *Food Chemistry* 80: 579-588.

Jeong J, Guerinot ML. 2008. Biofortified and bioavailable: the gold standard for plantbased diets. *Proceedings of the National Academy of Sciences* **105**(6):1777-1778.

Johansson M, Furuhagen C, Frolich W, Jagerstad M. 2008. Folate content in frozen vegetarian ready meals and folate retention after different reheating methods. *LMW-Food Science and Technology* **41**:528-536.

Johansson M, Jastrebova J, Grahn A, Jägerstad M. 2005. Separation of Dietary Folates by Gradient Reversed-Phase HPLC: Comparison of Alternative and Conventional Silica-Based Stationary Phases. *Chromatographia* V62:33-40.

Johnston KE, Dirienzo DB, Tamura T. 2002. Folate content of dairy products measured by microbiological assay with trienzyme treatment. *Journal of Food Science* 67:817-820.

**Jones ML, Nixon PF. 2002.** Tetrahydrofolates are greatly stabilized by binding to bovine milk folate-binding protein. *Journal of Nutrition* **132**:2690-2694.

Juliano BO. 2003. Structure and gross composition of the rice grain, in *Rice Chemistry and Quality*, ed. by Banta SJ. Island Publishing House, Manila, pp 33-38.

Kalt W, Forney CF, Martin A, Prior RL. 1999. Antioxidant capacity, vitamin C, phenolics and anthocyanins after fresh storage of small fruits. *Journal of Agricultural and Food Chemistry* 47:4638-4644.

**Kariluoto MS, Vahteristo LT, Piironen VI. 2001.** Applicability of microbiological assay and affinity chromatography purification followed by high-performance liquid chromatography (HPLC) in studying folate contents in rye. *Journal of the Science of Food and Agriculture* **81**: 938-942.

Kariluoto S, Vahteristo L, Salovaara H, Katina K, Liukkonen K-H, Piironen V. 2004. Effect of baking method and fermentation on folate contents of rye and wheat breads. *Cereal Chemistry* **81**:134-139.

Kariluoto S, Liukkonen K, Myllymaki O, Vahteristo L, Kaukovirta-Norja A, Piironen V. 2006. Effect of germination and thermal treatments on folates in rye. *Journal of Agricultural and Food Chemistry* 54:9522-9528.

**Karilouto S. 2008**. Folates in rye: determination and enhancement by food processing. PhD thesis, University of Helsinki, Finland.

Kennedy G, Burlingame B. 2003. Analysis of food composition data on rice from a plant genetic resources perspective. *Food Chemistry* **80**:589-596.

**Kiehl DE, Julian Jr. RK, Kennington AS. 1998**. Electrospray ionization mass spectrometry with in-source collision-induced dissociation of monensin factors and related metabolites. *Rapid Communications in Mass Spectrometry* **12**:903-910.

Kok RM, Smith DEC, Dainty JR, van den Akker JT, Finglas PM, Smulders YM, Jakobs C, de Meer K. 2004. 5-Methyltetrahydrofolic acid and folic acid measured in plasma with liquid chromatography tandem mass spectrometry: applications to folate absorption and metabolism. *Analytical Biochemistry* **326**:129-138.

**Konings EJM. 1999.** A validated liquid chromatographic method for determining folates in vegetables, milk powder, liver and flour. *Journal of AOAC International* **82**: 119-127.

**Konings EJM, Roomans HHS, Dorant E, Goldbohm RA, Saris WHM, van den Brandt PA. 2001.** Folate intake of the Dutch population according to newly established liquid chromatography data for foods. *American Journal of Clinical Nutrition* **73**:765-776.

Koontz JL, Phillips KM, Wunderlich KM, Exler J, Holden JM, Gebhardt SE, Haytowitz DB. 2005. Comparison of total folate concentrations in foods determined by microbiological assay at several experienced U.S. commercial laboratories. *Journal of AOAC International* 88:805-813.

Lafitte HR, Li ZK, Vijayakumar CHM, Gao YM, Shi Y, Xu JL, Fu BY, Yu SB, Ali AJ, Domingo J, Maghirang R, Torres R, Mackill D. 2006. Improvement of rice drought tolerance through backcross breeding:evaluation of donors and selection in drought nurseries. *Field Crops Research* 97:77-86.

Lin Y, Dueker SR, Clifford AJ. 2003. Human whole blood folate analysis using a selected ion monitoring gas chromatography with mass selective detection protocol. *Analytical Biochemistry* **312**:255-257.

Lu, W, Kwon, YK, Rabinowitz JD. 2007. Isotope ratio-based profiling of microbial folates. *Journal of the American Society for Mass Spectrometry* **18**: 898-909.

Lucock M. 2000. Folic acid: Nutritional biochemistry, molecular biology, and role in disease processes. *Molecular Genetics and Metabolism* **71**: 121-138.

Lucock MD, Green M, Priestnall M, Daskalakis I, Levene MI, Hartley R. 1995. Optimization of chromatographic conditions for the determination of folates in foods and biological tissues for nutritional and clinical work. *Food Chemistry* **53**: 329-338.

**Mason JB SR, Haskell M, Selhub J, Rosenberg IH. 1990**. Carrier affinity as a mechanism for the pH-dependence of folate transport in the small intestine. *Biochimica et Biophysica Acta* **1024**:331 - 335.

**Matuszewski BK, Constanzer ML, Chavez-Eng CM. 2003.** Strategies for the assessment of matrix effect in quantitative bioanalytical methods based on HPLC-MS/MS. *Analytical Chemistry* **75**:3019-3030.

McCaskill DR, Zhang F. 1999. Use of rice bran oil in foods. *Food Technology* 53(2):50-51,53.

**McGuire JJ, Coward JK. 1984.** Pteroylpolyglutamates: biosynthesis degradation and function. IN Blackley RL, Benkovic SJ (eds.) *Folates and Pterins*. New York, Wiley Interscience 135-190.

**McKeehen JD MC, Wheeler RM, Bugbee B, Nielsen SS. 1996**. Excess nutrients in hydroponic solutions alter nutrient content of rice, wheat, and potato. *Advances in Space Research* **18**:73 - 83.

**McIntosh SR, Brushett D, Henry RJ. 2008**. GTP cyclohydrolase 1 expression and folate accumulation in the developing wheat seed. *Journal of Cereal Science* **48**:503-512.

McIntosh SR, Henry RJ. 2008. Genes of folate biosynthesis in wheat. *Journal of Cereal Science* **48**:632-638.

McKillop DJ, McNulty H, Scott JM, McPartlin JM, Strain JJ, Bradbury I, Girvan J, Hoey L, McCreedy R, Alexander J, Patterson BK, Hannon-Fletcher M, Pentieva K. 2006. The rate of intestinal absorption of natural food folates is not related to the extent of folate conjugation, *American Journal of Clinical Nutrition* 84:167-173.

McNulty H, Pentieva K. 2004. Folate bioavailability. *Proceedings of the Nutrition Society* 63:529-536.

Melse-Boonstra A, Verhoef P, Konings EJM, van Dusseldorp M, Matser A, Hollman PCH, Meyboom S, Kok FJ, West CE. 2002. Influence of processing on total, monoglutamate and polyglutamate folate contents of leeks, cauliflower, and green beans. *Journal of Agricultural and Food Chemistry* **50**:3473-3478.

**Miller AL, Kelly GS. 1997.** Homocysteine metabolism: Nutritional modulation and impact on health and disease. *Alternative Medicine Review* **2**(4): 234-254.

**Molloy AM. 2002.** Folate bioavailability and health. *International Journal of Vitamins and Nutrition Research* **72**:46-52.

**Morini L, Politi L, Groppi A, Stramesi C, Polettini A. 2006.** Determination of ethyl glucoronide in hair samples by liquid chromatography/electrospray tandem mass spectrometry. *Journal of Mass Spectrometry* **41**:34-42.

Naqvi S, Zhu C, Farre G, Ramessar K, Bassie L, Breitenbach J, Perez Conesa D, Ros G, Sandmann G, Capell T, Christou P. 2009. Transgenic multivitamin corn through biofortification of endosperm with three vitamins representing three distinct metabolic pathways. *Proceedings of the National Academy of Sciences of the United States of America* 106:7762-7767.

Ndaw S, Bergaentzle M, Aoude-Werner D, Lahely S, Hasselmann C. 2001. Determination of folates in foods by high-performance liquid chromatography with fluorescence detection after precolumn conversion to 5-methyltetrahydrofolates. *Journal of Chromatography A* **928**: 77-90.

**Nelson BC, Dalluge JJ, Margolis SA. 2001a.** Preliminary application of liquid chromatography-electrospray-ionization mass spectrometry to the detection of 5-methyltetrahydrofolic acid monoglutamate in human plasma. *Journal of Chromatography B* **765**:141-150.

**Nelson BC, Pfeiffer CM, Margolis SA, Nelson CP. 2003.** Affinity extraction combined with stable isotope dilution LC/MS for the determination of 5-methyltetrahydrofolate in human plasma. *Analytical Biochemistry* **313**:117-127.

**Nelson BC, Pfeiffer CM, Margolis SA, Nelson CP. 2004.** Solid-phase extractionelectrospray ionization mass spectrometry for the quantification of folate in human plasma or serum. *Analytical Biochemistry* **325**:41-51.

**Nelson BC, Sharpless KE, Sander LC. 2006.** Quantitative determination of folic acid in multivitamin/multielement tablets using liquid chromatography/tandem mass spectrometry. *Journal of Chromatography A* **1135**:203-211.

**Neuburger M, Rebeille F, Jourdain A, Nakamura S, Douce R. 1996.** Mitochondria are a major site for folate and thymidylate synthesis in plants. *The Journal of Biological Chemistry* **271**(16):9466-9472.

**Ng X, Lucock M, Veysey M. 2008**. Physicochemical effect of pH and antioxidants on mono- and triglutamate forms of 5-methyltetrahydrofolate, and evaluation of vitamin stability in human gastric juice: implications for folate bioavailability. *Food Chemistry* **106**:200-210.

Nillson C, Johansson M, Yazynina E, Stralsjo L, Jastrebova J. 2004. Solid-phase extraction for HPLC analysis of dietary folates. *European Food Research and Technology* **219**: 199-204.

**Nguyen MT, Indrawati A, Van Loey A, Hendrickx M. 2004.** Effect of pH on temperature stability of folates. *Communications in Agricultural and Applied Biological Sciences* **69**:203-206.

**Nunew ACS, Kalkmann DC, Aragao FJL. 2009.** Folate biofortification of lettuce by expression of a codon optimized chicken GTP cyclohydrolase I gene. *Transgenic Research* 10.1007/s11248-009-9256-1.

**O'Broin JD, Temperley IJ, Brown JP, Scott JM. 1975.** Nutritional stability of various naturally occurring monoglutamate derivatives of folic acid. *American Journal of Clinical Nutrition* **28**:438-444.

**O'Broin S, Kelleher B. 1992**. Microbiological assay on microtitre plates of folate in serum and red cells. *Journal of Clinical Pathology*. **45**:344-347.

Orsomando G, Bozzo GG, de la Garza RD, Basset GJ, Quinlivan EP, Naponelli V, Rebeille F, Ravanel S, Gregory JF, Hanson AD. 2006. Evidence for folate-salvage reactions in plants. *Plant Journal* **46**:426-435.

**Orsomando G, Bozzo GG, de la Garza RD, Green BJ, Peng M, Rea PA, Ryan TJ, Gregory JF, Hanson AD. 2005**. Plant gamma-glutamyl hydrolases and folate polyglutamates: characterization, compartmentation, and co-occurrence in vacuoles. *Journal of Biological Chemistry* **280**:28877-28884.

**Oelke EA, Porter RA, Grombacher AW, Addis PB. 1997.** Wild rice – new interest in an old crop. *Cereal Foods World* **42**:234-247.

**Owens JE, Holstege DM, Clifford AJ. 2006**. High-throughput adaptation for the quantitation of total folate in human red blood cells by LC-MS/MS. *Faseb Journal* **20**:A601-A601.

**Pandrangi S, LaBorde LF. 2004a.** Optimization of microbiological assay of folic acid and determination of folate content in spinach. *International Journal of Food Science and Technology* **39**:525-532.

**Patring JDM, Johansson MS, Yazynina E, Jastrebova JA. 2005**. Evaluation of impact of different antioxidants on stability of dietary folates during food sample preparation and storage of extracts prior to analysis. *Analytica Chimica Acta* **553**:36-42.

**Patring JDM, Jastrebova JA, Hjortmo SB, Andlid TA, Jagerstad M. 2005a**. Development of a simplified method for the determination of folates in Baker's yeast by HPLC with ultraviolet and fluorescence detection. *Journal of Agricultural and Food Chemistry* **53**:2406-2411.

**Patring JDM, Lanina SA, Jastrebova JA. 2006**. Applicability of alkyl-bonded ultra-pure silica stationary phases for gradient reversed-phase HPLC of folates with conventional and volatile buffers under highly aqueous conditions. *Journal of Separations* **29**:889-904.

**Patring JDM, Jastrebova JA. 2007**. Application of liquid chromatography-electrospray ionization mass spectrometry for determination of dietary folates: effects of buffer nature and mobile phase composition on sensitivity and selectivity. *Journal of Chromatography A* **1143**:72-82.

**Pawlowsky RJ, Flanagan VP, Doherty RF. 2003.** A mass spectrometric validated highperformance liquid chromatography procedure for the determination of folates in foods. *Journal of Agricultural and Food Chemistry* **51**:3726-3730.

**Pfeiffer CM, Rogers LM, Gregory III JF. 1997**. Determination of folate in cereal-grain food products using trienzyme extraction and combined affinity and reversed-phase liquid chromatography. *Journal of Agricultural and Food Chemistry* **45**:407-413.

**Pfeiffer CM, Fazili Z, McCoy L, Zhang M, Gunter EW.2004**. Determination of folate vitamers in human serum by stable-isotope-dilution tandem mass spectrometry and comparison with radioassay and microbiologic assay. *Clinical Chemistry* **50**:423-432.

**Phillips DR, Wright AJA. 1983.** Studies on the response of *Lactobacillus casei* to folate vitamin in foods. *British Journal of Nutrition* **49**:181-186.

**Phillips KM, Wolf WR, Patterson KY, Sharpless KE, Holden JM. 2007**. Reference materials to evaluate measurement systems for the nutrient composition of foods:results from USDA's National Food and Nutrient Analysis Program (NFNAP). *Analytical and Bioanalytical Chemistry* **389**:219-229.

**Piironen V, Edelmann M, Kariluoto S, Bedo Z. 2008.** Folate in wheat genotypes in the HEALTHGRAIN diversity screen. *Journal of Agricultural and Food Chemistry* **56**:9726-9731.

**Poletti S, Gruissem W, Sautter C. 2004**. The nutritional fortification of cereals. *Current Opinion in Biotechnology* **15**:162-165.

**Polettini A. 2006.** *Applications of LC-MS in toxicology*. Pharmaceutical Press, London, UK.

**Polettini A, Bouland GM, Montagna M. 1998.** Development of a coupled-column liquid chromatographic-tandem mass spectrometric method for the direct determination of betamethasone in urine. *Journal of Chromatography B* **713**:339-352.

**Poo-Prieto R, Haytowitz DB, Holden JM, Rogers G, Choumenkovitch SF, Jacques PF, Selhub J. 2006**. Use of the affinity/HPLC method for quantitative estimation of folic acid in enriched cereal-grain products. *Journal of Nutrition* **136**: 3079-3083.

**Puwastien P, Pinprapai N, Judprasong K, Tamura T. 2005.** International interlaboratory analyses of food folate. *Journal of Food Composition and Analysis* **18**:387-397.

**Quinlivan EP, McPartlin J, McNulty H, Ward M, Strain JJ, Weir DG and Scott JM. 2002**. Importance of both folic acid and vitamin B12 in reduction of risk of vascular disease. *The Lancet* **359**:227-228.

Quinlivan EP, Hanson AD, Gregory JF. 2006. The analysis of folate and its metabolic precursors in biological samples. *Analytical Biochemistry* **348**:163-184.

**Rabinowitz JC. 1960.** Folic acid. IN THE ENZYMES 2<sup>nd</sup> (ed.). New York vol. 2:185, Academic Press

**Rader JI, Weaver CM, Angyal G. 1998.** Use of microbiological assay with tri-enzyme extraction for measurement of pre-fortification levels of folates in enriched cereal-grain products. *Food Chemistry* **62**:451-465.

**Rader JI, Schneeman BO. 2006**. Prevalence of neural tube defects, folate status, and folate fortification of enriched cereal-grain products in the United States. *Pediatrics* **117**:1394-1399.

**Rebeille F, Ravanel S, Jabrin S, Douce R, Storozhenko S, Van Der Straeten D.2006**. Folates in plants: biosynthesis, distribution, and enhancement, *Physiologia Plantarum* **126**:330-342. **Richardson D, Ortori CA, Chapman V, Kendall DA, Barrett DA. 2007**. Quantitative profiling of endocannabinoids and related compounds in rat brain using liquid chromatography-tandem electrospray ionization mass spectrometry. *Analytical Biochemistry* **360**:216-226.

**Ruggeri S, Vahteristo LT, Aguzzi A, Finglas P, Carnovale E. 1999**. Determination of folate vitamers in food and in Italian reference diet by high-performance liquid chromatography. *Journal of Chromatography A* **855**:237-245.

**Rychlik M. 2004**. Revised folate content of foods determined by stable isotope dilution assays. *Journal of Food Composition and Analysis* **17**:475-483.

**Rychlik M, Englert K, Kapfer S, Kirchhoff E. 2007**. Folate contents of legumes determined by optimized enzyme treatment and stable isotope dilution assays. *Journal of Food Composition and Analysis* **20**:411-419.

**Sahr T, Ravanel S, Rebeille F. 2005.** Tetrahydrofolate biosynthesis and distribution in higher plants. *Biochemical Society Transactions* **33**:758-762.

Scott J, Kirke P, Molloy A, Daly L, Weir D. 1994. The role of folate in the prevention of neural-tube defects. *Proceedings of the Nutrition Society* **53**:631-636.

**Scott J, Rebeille F, Fletcher J. 2000.** Folic acid and folates: the feasibility for nutritional enhancement in plant foods. *Journal of the Science of Food and Agriculture* **80**:795-824.

**Selhub J. 1989.** Determination of tissue folate folate composition by affinity chromatography followed by high-pressure ion pair liquid chromatography. *Analytical Biochemistry* **182**:84-93.

**Seyoum E, Selhub J. 1998.** Properties of food folates determined by stability and susceptibility to intestinal pteroylpolyglutamate hydrolase action. *Journal of Nutrition* **128**:1956-1960.

Shane B, Tamura T, Stokstad ELR. 1980. Folate assay: a comparison of radioassay and microbiological methods. *Clinica Chimica Acta* 100:13-19.

**Shane B. 1982.** High performance liquid chromatography of folates: identification of poly-gamma-glutamate chain lengths of labeled and unlabeled folates. *American Journal of Clinical Nutrition* **35**:599-608.

**Shane B. 1989.** Folylpolyglutamate synthesis and role in the regulation of one-carbon metabolism. *Vitamins and Hormones* **66**:403-456.

Shrestha AK, Arcot J, Paterson J. 2000. Folate assay of foods by traditional and trienzyme treatments using cryoprotected *Lactobacillus casei*. *Food Chemistry* **71**:545-552.

**Sirotnak FM, Tolner B. 1999.** Carrier-mediated membrane transport of folates in mammalian cells. *Annual Review of Nutrition* **19**:91-122.

**Smith DEC, Kok RM, Teerlink T, Jakobs C, Smulders YM. 2006**. Quantitative determination of erythrocyte folate vitamer distribution by liquid chromatography-tandem mass spectrometry. *Clinical Chemistry and Laboratory Medicine* **44**:450-459.

**Snyder LR, Kirkland JJ, Glajch JL. 1997.** *Practical HPLC method development*, 2<sup>nd</sup> ed. New York, USA, John Wiley & Sons, Inc., 295.

**Stea TH, Johansson M, Jagerstad M, Frolich W. 2007**. Retention of folates in cooked, stored and reheated peas, broccoli and potatoes for use in modern large-scale service systems. *Food Chemistry* **101**:1095-1107.

**Stöckl D, D'Hondt H, Thienpont LM. 2009.** Method validation across the disciplinescritical investigation of major validation criteria and associated experimental protocols. *Journal of Chromatography B* **877**:2180-2190.

**Stokes P, Webb K. 1999.** Analysis of some folate monoglutamates by high-performance liquid chromatography-mass spectrometry. *Journal of Chromatography A* **864**:59-67.

Stokstad EL, Koch J. 1967. Folic acid metabolism. *Physiological Reviews* 47:83-116.

**Stokstad ELR. 1943.** Some properties of a growth factor for *Lactobacillus casei*. *The Journal of Biological Chemistry* **149**:573-574.

Storozhenko S, De Brouwer V, Volckaert M, Navarrete O, Blancquaert D, Zhang GF, Lambert W, Van Der Straeten D. 2007b. Folate fortification of rice by metabolic engineering. *Nature Biotechnology* **25**:11, 1277-1279.

Storozhenko S, Ravanel S, Zhang G-F, Rebeille F, Lambert W, Van Der Straeten D. 2005. Folate enhancement in staple crops by metabolic engineering. *Trends in Food Science & Technology* **16**:271-281.

**Stralsjo L, Witthoft CM, Sjoholm I, Jagerstad M. 2003.** Folate content in strawberries (*Fragari x ananassa*) - effects of cultivar, year of harvest, ripeness, storage and commercial processing. *Journal of Agricultural and Food Chemistry* **51** (2): 1-5.

**Strum WB. 1979**. Enzymatic reduction and methylation of folate following pH-dependent, carrier-mediated transport in rat jejunum. *Biochimica et Biophysica Acta* **554**:249 - 257.

Suh JR, Herbig AK, Stover PJ. 2001. New perspectives on folate catabolism. *Annual Review of Nutrition* 21:255-282.

Tamura T, Shin YS, Williams MA, Stokstad ELR. 1972. *Lactobacillus casei* response to pteroylpolyglutamates. *Analytical Biochemistry* **49**:517-521.

**Tamura T. 1998**. Determination of food folate. *The Journal of Nutritional Biochemistry* **9**:285-293.

**Tucker G. 2003**. Nutritional enhancement of plants. *Current Opinion in Biotechnology* **14**:221-225.

USDA 2008. U.S. Department of Agriculture, Agricultural Research Service. USDA National Nutrient Database for Standard Reference, Release 20. Nutrient Data Laboratory Homepage, http://www.pal.usda.gov/fpic/foodcomp/Data/SP20/putrlist/cr20a425.pdf

http://www.nal.usda.gov/fnic/foodcomp/Data/SR20/nutrlist/sr20a435.pdf.

**U.S. Department of Health and Human Services. 2001.** Food and Drug Administration, Center for Drug Evaluation and Research. Guidance for Industry: Bioanalytical method validation. pp 1-22.

**Vahteristo L, Finglas PM. 2000.** Chromatographic determination of folates. IN de Leenheer AP, Lambert W, Van Boxclaer JF (eds.) *Modern chromatographic analysis of vitamins*. New York, Marcel Dekker, vol. **84**:301-302.

Vahteristo LT, Lehikoinen K, Ollilainen V, Varo P. 1997a. Application of an HPLC assay for the determination of folate derivatives in some vegetables, fruits and berries consumed in Finland. *Food Chemistry* **59**:589-597.

**Vahteristo LT, Ollilainen V, Koivistoinen PE, Varo P. 1996.** Improvements in the analysis of reduced folate monoglutamates and folic acid in food by high-performance liquid chromatography. *Journal of Agricultural and Food Chemistry* **44**:477-482.

Van den Berg H, FInglas PM, Bates C. 1994. FLAIR intercomparisons on serum and red cell folate. *International Journal for Vitamin and Nutrition Research* 64:288-293.

Van den Berg H, van der Gaag M, Hendriks H. 2001. Influence of lifestyle on vitamin bioavailability. *International Journal for Vitamin and Nutrition Research* **72**:53-59.

**Van Eeckhaut A, Lanckmans K, Sarre S, Smolders I, Michotte Y. 2009.** Validation of bioanalytical LC-MS/MS assays: evaluation of matrix effects. *Journal of Chromatography B* **877**:2198-2207.

**Veedamali S. Subramanian NCHMS. 2003**. Folate uptake in the human intestine: Promoter activity and effect of folate deficiency, Ed, pp 403-408.

Verlinde P, Oey I, Hendrickx M, Van Loey A. 2008. High-pressure treatments induce folate polyglutamate profile changes in intact broccoli (*Brassica oleraceae* L. *cv. Italica*) tissue. *Food Chemistry* **111**:220-229.

**Verwei M, Arkbage K, Mocking H, Havenaar R, Groten J. 2004**. The Binding of Folic Acid and 5-Methyltetrahydrofolate to Folate-Binding Proteins during Gastric Passage Differs in a Dynamic In Vitro Gastrointestinal Model, *Journal of Nutrition* **134**:31-37.

**Wald NJ. 2004.** Folic acid and the prevention of neural tube defects. *New England Journal of Medicine* **35**:101-103.

**Wada T, Lott JNA. 1997**. Light and electron microscopic and energy dispersive X-ray microanalysis studies of globoids in protein bodies of embryo tissues and the aleurone layer of rice (*Oryza sativa* L.) grains. *Canadian Journal of Botany* **75**:1137-1147.

Ward JL, Poutanen K, Gebruers K, Piironen V, Lampi A-M, Nystrom L, Andersson AAM, Aman P, Boros D, Rakszegi M, BedoZ, Shewry PR. 2008. The HEALTHGRAIN cereal diversity screen: concept, results and prospects. *Journal of Agricultural and Food Chemistry* 56:9699-9709.

**Willis, L. 1931**. Treatment of pernicious anemia of pregnancy and tropical anemia with special reference to yeast extract as a curative agent. *British Medical Journal* **1**: 1059-1064.

**Wilson SD, Horne DW. 1983.** Evaluation of ascorbic acid in protecting labile folic acid derivatives. *Proceedings of the National Academy of Sciences of the United States of America* **80**:6500-6504.

**Winkels RM, Brouwer IA, Siebelink E, Katan MB, Verhoef P. 2007**. Bioavailability of food folates is 80% of that of folic acid, *American Journal of Clinical Nutrition* **85**:465-473.

Witthöft CM, Arkbage K, Johansson M, Lundin E, Berglund G, Zhang JX, Lennernas H, Dainty JR. 2006. Folate absorption from folate-fortified and processed foods using a human ileostomy model. *British Journal of Nutrition* **95**:181-187.

Witthöft CM, Forssen K, Johanesson L, Jagerstad M. 1999. Folates-food sources, analyses, retention and bioavailability. *Scandinavian Journal of Nutrition* **4**:138-146.

Wright AJA, Finglas PM, Dainty JR, Wolfe CA, Hart DJ, Wright DM, Gregory JF. 2005. Differential kinetic behavior and distribution for pteroylglutamic acid and reduced folates: a revised hypothesis of the primary site of PteGlu metabolism in humans. *Journal of Nutrition* **135**:619-623.

Wright AJA, Dainty JR, Finglas PM. 2007. Folic acid metabolism in human subjects revisited: potential implications for proposed mandatory folic acid fortification in the UK. *British Journal of Nutrition* **98**:667-675.

**Yazynina E, Johansson M, Jagerstad M, Jastrebova J. 2008**. Low folate content in gluten-free cereal products and their main ingredients. *Food Chemistry* **111**:236-242.

**Yon M, Hyun TH. 2003.** Folate content of food commonly consumed in Korea measured after trienzyme extraction. *Nutrition Research* **23**:735-746.

**Yuangang Zu. 2006.** CZCLLZ, A rapid and sensitive LC-MS/MS method for determination of coenzyme in tobacco (*Nicotiana tabacum*.) leaves, Ed, pp 1607-1612.

**Zhang GF, Maudens KE, Storozhenko S, Mortier KA, Van Der Straten D, Lambert WE. 2003.** Determination of total folate in plant materials by chemical conversion into *para*aminobenzoic acid followed by high performance liquid chromatography combined with on-line postcolumn derivatization and fluorescence detection. *Journal of Agricultural and Food Chemistry* **51**:7872-7878.

**Zhang GF, Storozhenko S, Van Der Straeten D, Lambert WE. 2005.** Investigation of the extraction behavior of the main monoglutamate folates from spinach by liquid chromatography-electrospray ionization tandem mass spectrometry. *Journal of Chromatography A* **1078**:59-66.

Zhao FJ, Su YH, Dunham SJ, Rakszegi M, Bedo Z, McGrath SP, Shewry PR. 2009. Variation in mineral micronutrient concentrations in grain of wheat lines of diverse origin. *Journal of Cereal Science* **49**:290-295.

**Zheng L-L, Lin Y, Lin S, Cossins EA. 1992.** The polyglutamate nature of plant folates. *Phytochemistry* **31**:2277-2282.