DETAILED TRANSCRIPTS OF EXTRACTS REFERRED TO IN VOLUME ONE

S3Ph4PaMT1/1.41

1	т	holding the patient's affected hand and flexing and extending his elbow gazes at the patient's face
2	т	°anyway° () I'm sure your wife's
3	Ρ	lying on his back on the bed, body musculature appears relaxed gazing at therapist's face
4		
5	Т	extends his elbow, lowering his hand
6	Т	got something at ho{me hasn't she she can bring in}
7	Ρ	{ooh I'm sure she has yeah }
8		
9	т	yeah
10		•
11	Р	bends and straightens patient's elbow
12	Р	=I'll get her to bring somethink in
13		<u><u></u></u>
14	т	gaze lowers from patient's face to his shoulder slight grip change of her hands on his arm
15		(1.5)
16		
-		

17	т	looking down further grip change and starts raising patient's arm up
18 19	Т	O↓K °hhhhhhhh
20 21 22	т	raising patient's arm up perpendicularly (.)
23 24 25	T P	just try and lift <u>your</u> arm up body visibly tenses especially abdominals and neck, head pushes back into pillow slightly
26 27 28	т	looks like she is doing much of the work of lifting his arm (3)
20 29 30 31	т	patient's arm at its height lowers arm ((very enunciated and deliberate)) <u>sto:p</u> : (.) just relax
32	Р	°hh
33 34	P	tension release
35	т	slight grip readjustment
36	T	°hh
37 38 39 40 41	T T P	raises arm again this time more straight at elbow (7) tenses abdominal and neck muscles somewhat as his arm raises

42 43 44	т т	gazes up to patient just before utterance starts, arm is up relatively straight and continues to move slightly straighter any pain with ^that
45 46 47 48	T P T	<i>gaze down again</i> no ↑no
49 50 51 52	T T P	holds arm still and straight protraction starts (OK do you want to) try and <u>push</u> up towards the ceiling for me <i>'effortful' face, body tenses more than in previous attempt</i>
52 53 54 55		slightly more protraction (1)
56	т	increasing protraction glances at patient
57 58	Т	go on (.) <u>shoul</u> der
59 60 61	т	looks down at 0.5, patient's arm held up still (1)
62 63 64	T T	patient's arm starts to move back into retraction and relax
65 66	P P	Σhh body and face relax

67		
68	Т	shifts body position, right leg back, she moves back still holding his arm
		has moved to kneel up on treatment bed, looking down directly over patient's shoulder
69	Т	°hh give you a hand again
70		
71		(1)
72	-	
73	Ţ	starts protraction, therapist looking down at patient's shoulder
74	T	°hh so your ↑shoulder's actually coming (.) forwards like <u>that</u>
75	Ρ	tenses, pushes head back, purses mouth
76 77	-	notiont's arm at its height
77	Т	patient's arm at its height
70	т	starts to lower
78 70	Т	1 yeah
79 80	Р	$\sum (brach)$
		Σ yeah ((<i>breathy</i>))
81	Ρ	nods
82 83		(1)
84	Р	more relaxed
85	•	
86	т	holds patient's arm at its lowest and pauses
00	•	starts to protract and raise patient's arm
87	Т	an again (be so it's a) pushing you lift up
	-	
	т	that's lovely
91		
88 89 90	Ρ	that's lovely

92 02	Р	hh
93 94	Ρ	relaxes
94 95 96 97	т	downward movement starts (1)
98 99 100	т	and jus let it go (2)
101	т	slightly readjusts right hand starts upward movement
102	т	an <u>again</u>
103	Р	tension again as starts upwards movement, quite jolting ((looks like he's very active in producing the movement))
104		
105		patient's arm is up, at end of pause starts to move down – i.e. retracts
106		(5)
107		
108	Ρ	hh
109	Ρ	relaxes
110		
111		arm going into retraction
112	Т	and let go
113 114	Ρ	more relaxed, ((?looking to therapist or middle-distance))

115 116	т	body shift to sit down on treatment bed again changes grip on patient's elbow, but right hand still on patient's elbow, left on patient's wrist, looks intently at patient's whole arm, straightens patient's elbow twice (7)
117 118	Ρ	(7) turns head to look at therapist as she shifts position, then looks to his elbow and arm as she moves it
119	т	((?looking at patient))
		pushing back on patient's left wrist with her left, opens her hand somewhat ((giving less assistance?)) push up
		push up
400	-	push up
120	T	try and keep yer elbow straight there for me
121 122	Р	tenses
122	т	lets go with her left hand slightly, patient's forearm drops slightly and she catches it twice
125	•	on third let go, his hand stays up for a short time, with her hand hovering not holding, intent gaze flicks from shoulder to hand and back
124		(7)
125	Ρ	bites lip/mouth pursed expression, head raises
126	_	
127	Ţ	grips patient's wrist again
128	T	and re <u>lax</u>
129	Р	lowers head
130	п	
131	Р	hh releves shoulder and based
132 133	Ρ	relaxes shoulder and head

134 135 136		together bend his elbow to 90 degrees (0.3)
137 138 139	T T	<i>((?turns gaze towards patient))</i> go <u>od.</u>
140 141 142	P P	hhh ((sigh)) mouth ooh shape ((as if to convey 'that was tough'))
143 144 145 146	T T P	((?gazing down at patient)), slight grip readjustments throughout who was holdin that then mouth stays in ooh shape
140 147 148	Ρ	par∱don
149 150 151	T T	<i>gazing at patient smile</i> who was holdin that <u>then</u> me or you d'you think
152 153 154 155	T P P	nods, bigger smile = <u>I</u> was at the <u>end</u> slight nod
156 157 158	T T	<i>nod</i> s yeah heh heh
159 160 161 162	T P P	{((laugh))} {((laugh))} looking at therapist

163 164 165	T P	<i>looks to arm, straightens patient's arm up by raising his forearm</i> well didn't to <u>start</u> with but I was at the end
166 167 168	T T	<i>patient's elbow held relatively straight, ((?glance to patient))</i> °h O∱K
169	т	slightly releases grip on patient's wrist
170	Р	mm {hm}
171	Т	{see} if you can hold that again
172	Ρ	((?looking up to arm)), doesn't tense so much
173		
174	Т	lets go and 'catches' patient's arm once
175		(2.5)
176		
177	Т	shifts head and gaze to his left hand supinating his arm
178	Т	°holdin that° for me
179	Ρ	more tension here
		mouth tense and purses
180		
181	Т	looks down up and down, lets go once briefly
182		(5)
183	Ρ	face and right shoulder look tense
184	_	
185	Ţ	holding patient's wrist again
186 187	Т	and relax

188 189 190 191	T P	bending his elbow slightly (2) mouth tension eases off
192 193 194	T P	shoulder's working <u>nice</u> ly <u>there</u> raises right hand slightly and slowly off the bed
194 195 196	Ρ	°hh hhh ((<i>sigh</i>))
190 197	т	gazing at patient bends and straightens patient's elbow nodding at patient
198 199	т	how's that \downarrow feel: >d'you <u>feel</u> that (.)
200 201 202	T T	<i>nodding</i> it's you that's doing it or d'you
202 203 204 205	T P	{feel it's} <u>me</u> {well I }
205 206	т	keeps patient's arm up straight pronating and supinating his forearm
207 208	Р	I felt as though was doin a bit towards it
209 210 211	T P T	looking at patient, nodding any{way} {yeah}

213 P yeah

S1Ph1PaBT2/11.08

1	т	has been moving an adjustable height table round to patient's right side, and has moved a wooden stool and a wheeled stool now stands looking at patient, has asked her about her morning breakfast arrangements: the patient responds that she ate with a fellow patient
2	Т	oh ↑that's good more than j- not just for ↓you
3	Ρ	sitting on treatment bed, looking at therapist
4		
5		(.)
6	Р	no just the two of {us }
7	Т	{right} 1 oh that's nice go:od (.) go:od
8	P	nodding
9	•	nodaling
5 10 11		(0.3)
12	т	pointing gesture with right hand
13	Ť	
	•	°h OK <u>then l</u> et's look <u>then a</u> :t: si:tting to standing as that's >gonna be one of our \downarrow goals
14		
15	-	
16	Т	turns
		looks down
		gestures to treatment bed with right hand
		taps bed glances backwards
17	Т	>the bed's fai:rly \downarrow low =but °h we <u>wan</u> t it to be <u>rel</u> atively low so that's similar
18	Ρ	glances down
19		

20	т	gestures towards wheelchair, which is over to the left
21 22 23 24	T P P	looks to patient and leans inwards height to your {wheel}chair {yeah } nods
25 26 27 28	T T P T	moves wheeled stool from in front of patient to a position slightly to the patient's left side so we'll just see how we {go } {with } ^these ({)} {yeah}
29 30	Ρ	clasps right hand round left wrist nods, looks at therapist hands clasped together, reaches arms forwards slightly, twice up and down
31	т	points briefly to wooden stool
32	Ť	do a couple of stretches first just reaching <u>for</u> wards
33	Р	gaze down and forward
		slight nod starts to lean forward
34 35 36	Р	(3.5) leans forward
37	•	
38 39 40	T T	reaches quickly to move wooden stool nearer to patient °might be too far actually°

41 42 43	Ρ	(4.0) by end of pause patient's hands have reached and are touching wooden stool
44 45 46 47 48	T P T P	<i>turns head right slightly</i> and th{en- } {and } <u>back</u> again yeah just {just } to {mm}
49 50 51 52	T P P	get {used} to going that far ↓forward {yes } nodding is sat upright again
53 54 55	T T P	pointing gesture indicating forward movement on bed you <u>may</u> find it easier if you just wriggle this side forwards a little bit more on the gaze to therapist looks away ((?middle-distance)) starts to shift body forward
56 57 58 59	P	(0.2) shifting self forward on bed
60 61 62	T P	°on the bed° shifting forward
63 64 65	Ρ	(3.0) hitching forward

66 67 68 69	T T P	((?manoeuvres patient's left foot with her foot)) °O∱K jus put that foot that foot there° looking forward
70 71		(0.5)
72 73 74 75	T T P	looks to wooden stool °h °OK reaching forwards <u>for</u> wards ↑there starts to lean forward
76 77	Ρ	(4.0) leans to touch stool
78 79 80	T P	°and back up again° starts immediately to move up
81 82 83	Ρ	(2.5) glances to therapist's face once up, and lowers hands
84 85 86	T P	°a∱right and again° raises hands, leans again just as therapist's utterance ends
87 88 89 90	Ρ	(5.0) leans to touch stool

91 92 93	T T P	moves on wheeled stool so that she is a few feet in front of patient ↓that's ↑it and back up >an jus do it one more I'm jus gonna watch you from <in <u="">front touching wooden stool with her two hands starts to move back up looks at therapist and stays looking</in>
94 95 96 97	Ρ	(0.5) looks down raises hands, though does not lean forwards ((slight hesitation))
98 99 100	T P	yeah see how even everything ↑is that looks ↑good <i>leans forward</i>
101		(4.0)
102 103	т	has wheeled own stool back
104 105 106	т	and is in front of patient °and back° OK °hh d'you feel then that you could take it from there into stand∱ing face-to-face gaze
100 107 108	P P	yeah nod, slight camera glance
109	Г	nou, siigin camera giance
110	т	=O [↑] K
111 112		(0.3)
113	Ţ	looking at patient's hands
114 115	T P	alright then raises hands, does not lean forwards
116	•	

117		(0.5)
118	_	
119	Ţ	wheels own stool slightly nearer patient, still sitting back
120	T	reachin ↑forwards
121	Р	leans forwards
122	-	at 1.2 reaches have right hand out to notion to left buttook
123 124	Т	at 1.3 reaches her right hand out to patient's left buttock
124	Р	(1.5) lean forwards, slight hesitation at ~1.1 seconds
125	F	
120	т	hand on patient's buttock
128	Ť	o(k)ay >I'll just <u>help</u> you the <↓first ↑time
129	-	
130	т	hand on buttock, fingers flex more at metacarpo-phalangeal joints
131	-	(2.0)
132	Р	leans forwards, bottom doesn't come off bed
133		
134	т	and pick yer bottom <u>up ↑there</u>
135	Р	bottom comes off
136		
137		(0.3)
138		
139	Т	and stand up tall (.)
140	Р	slightly down then up again
141	-	none fallours restinct
142	T	gaze follows patient
143 144	T P	go on you can do it (.) there yer go ((throaty voice on last phrase))
144	Г	ascending towards standing up

146		(0.3)
147	Р	unclasps hands reaches right hand towards table at her side
148		
149	т	takes hand off patient's buttock
145	•	·
450	-	looks more to patient's face
150	Т	O↑K (.) <u>love↑ly</u>
151	Ρ	hand reaches table
152		
153	Ρ	=good
154	Р	slight eyebrow raise, looking forward
155	•	
156	т	sitting book
150	1	sitting back
	-	nod
157	I	=yeah that felt al∱right {there's} no <u>lean</u> ing
158	Ρ	{yes }
159	Ρ	nods
160		
161	т	wheels on stool from in front of to more to left of patient
162	Ť	to me_>so that's <good th="" °hh<=""></good>
	•	
163	-	
164	Ţ	gaze down stool is still
165	Т	and then do then doing e <u>xac</u> tly the rev: <u>erse</u> as you go <u>do</u> wn
166	Ρ	starts to bend at hips and makes a slight hand movement
		over table towards its edge
167		
168		(0.3)
169		
170	т	>so looking after both ∱arms
	-	•
171	Ρ	takes right hand smoothly off table

172 173 174 175 176	P	(1.5) at 0.5, suddenly opens mouth ((in surprise)) and sudden quick movement right hand to left wrist at point where patient has hands together
177 178 179	T P	that's ↑i:{t: } {yes}
180 181 182 183	T T P	<i>reaches right hand just behind though not touching patient's bottom</i> and slowly bending bending both yer <u>kne:es:</u> <i>starts to bend down more</i>
184 185		(0.3)
186 187 188	T P	control it control it slightly jerky as down
189 190	Ρ	(7.0) at ~4.0 hands touch stool then off again then on again then off does not descend all the way to sitting
191 192 193 194	P P	(and [↑] down) is leaning forwards, hands very, very close to wooden stool, bottom not actually down
195 195 196 197	т	=yeah and sit down yeah (0.6)
198	Ρ	bottom reaches bed

S2Ph3PaHT3/11.58

1 2 3 4 5	T T P P	Is sitting at patient's left side, mobilising patient's left, affected hand gazing at patient ow's <u>that</u> feel that felt bit better (.) °h <i>nod</i> s
6		(0.5)
7 8 9 10	T P P	<i>mobilising patient's hand</i> with a bit of <u>use</u> it might (.) get better <i>looks downwards</i>
11 12	т	continues mobilising hand for a short time at 1.5 seconds, stops and puts patient's hand down on his lap, and looks round behind her to where various pieces of equipment are piled on a cabinet (2)
13	Ρ	gaze follows his own hand
14 15 16 17	T T P	lets go stands up walks in front of patient towards the cabinet right let me get something for you te (0.8) <u>mo:ve</u> in yer hand (.) 'ave a look see what we can find glances up as therapist passes, then looks down

18	т	picks up beanbag, walks back round in front of patient as she walks round, she looks down and turns beanbag over in her hand, patient's view of beanbag is blocked by the therapist's body
19 20	Ρ	(8) looks up then to left briefly
21	т	is now in front of patient, holds beanbag out in front of his face and sits down has hold of beanbag in left hand looks down at it 'weighing' gesture of beanbag in her hand
22 23 24	T P	O∱K just 'ave a ∱go at (.) turning this (.) looks at beanbag
25	т	passes it to her right hand
26	Ť	just hold it in yer hand for me {(patient name)}
27	Ρ	{yeah }
28 29	Р	slight move towards taking beanbag, then puts hands down again
30	т	starts to turn it one-handed using fingers and thumb, her hand is across her body so that it is positioned toward patient
31 32 33	T P	I want you just to turn it <u>ov</u> er = turn it over yes

34 35 36 37 38	T T P P	has completed two turns of the beanbag and reaches it to patient yeah {OK } {yeah} reaches out for it with both hands
39 40	т	hands are in her lap and she looks down at beanbag (2)
41	Ρ	takes it in his right hand first then passes it to his left hand and positions it there, looking down at beanbag
42		
43	Т	reaches across with her left hand
44	Р	like that
45	Ρ	has positioned it with long edge along rather than across his palm
46	т	rapidly reaches left hand across towards beanbag, and leans in towards patient moves beanbag so long edge is across patient's palm
47	Т	well (.) { yeah sidew }
48	P	{or like that sorry}
49	Р	still holding beanbag with both hands
	-	lets go with right hand and holds it out in front of him in his left fist with elbow extended
50		
51	Т	<u>yeah</u> sideways that's it
52	P	turns it over by pronating forearm, (very different from her demonstration which was
	•	manipulation of beanbag within the hand to roll beanbag, rather than rolling movement of whole arm)
53		

54 55		(1.5)
56 56	т	leans in toward patient holds her right hand out and moves fingers and thumb in a rolling motion, looks at her hand
57	т	>no no just turning it over
58	Р	brings his right hand towards beanbag
		((no apparent moves to do the rolling action)) looks to therapist's hand
59		·
60	Т	reaches to take hold of beanbag with her left then her right
61	Ρ	over
62 63	Ρ	holding it in left hand with right hand on top of it
64	т	places beanbag flat in her left palm
65	Ť	let me show you again
66	P	gaze follows therapist's hands and the beanbag
67	•	galo rene ne apiero nanao ana are seaneag
68	Р	mm
69 70	-	bolding and looking at boonbog with har fingers out and notes up ((waighing goat wa))
70	Ţ	holding and looking at beanbag with her fingers out and palm up ((weighing gesture))
71 72	Т	so (.) keepin yer hand nice and o{pen }
72 72	P P	{yeah}
73 74	F	left hand rests supinated on his lap
75	т	rolls beanbag three times
76	т	you're just movin the the bag in {yer} hand
77	P	{oh }
78	P	opens left hand flatter, it is still on his lap
	-	

79 80 81	Ρ	oh yes uh
82 83 84 85	T T P	passes it into patient's open hand °yeah° alright takes hold of his left forearm with his right hand (?stabilising), squeezes beanbag, all fingers flex together
86 87 88 89	T P P	reaches over to beanbag Σ °ah° can't (do) lets go of left wrist
90 91 92	T T	has hold of beanbag edge can't wriggle it
93 94 95	T P	<i>rolls it over within patient's hand</i> ↑no ↑no
96	т	lets go of beanbag points to beanbag then withdraws hand
97 98 99	T P	see if you can use your ↓ <u>thumb</u> moves thumb a little, beanbag does not roll
100 101	т	does a demonstration of a thumb movement (2)
102 103	Ρ	slight thumb movement but does not roll the beanbag
104 105 106	T T P	reaches to beanbag, touches patient's hand, demonstrates thumb movement that's it (.) to move it (.) push it forwards with your thumb continues moving thumb on beanbag

107 108	т	holds edge of bag, and bends well forwards to look at patient's fingers
109		(3)
110 111	Ρ	holds and moves beanbag very slightly
112	т	bent forwards over patient's hand
113	P	°no::o°
	Г	1100*
114	-	hant dawn and laaks at matientie band (sulle) on matientie index, then athen finners
115	Т	bent down and looks at patient's hand, 'pulls' on patient's index, then other fingers
116	_	(2)
117	Т	interesting
118		
119	Т	still looks down at patient's fingers, withdraws her left hand
120		(3.5)
121	Ρ	does two squeezes of beanbag but does not roll it
122		
123	Т	sits back, touches her pockets, looking down, touches beanbag once
124	Ρ	Σ °mm° °↑no (I can-) no I can't°
125	Р	still squeezing beanbag
126	-	
127		(.)
128		
129	т	looking forwards stands up and walks in front of patient
130	Ť	aven't got a pen at the moment I'll just find something to \uparrow move (0.5) with yer thumb
131	Р	still hold of beanbag, looks down, continues squeezes does more thumb movement
132 133	т	walks behind patient to cabinet where there is equipment, fetches a red ball (12) patient continues to hold and slightly move beanbag

134 135	T P	as she returns, walking in front of patient, she looks down at and takes beanbag out of patient's left hand °aah°	
136	т	facing patient, red ball held in her right hand in front of herself and the patient sits down ball in her left hand, thumb on top of it thumb moves and ball rolls slightly	
		raises ball moves it towards	
		patient then away	
137 138	T P	ri:ght just try with thi:s: (.) all I want to see <u>really</u> is you just movin it with yer <u>thumb</u> and holdin it with yer fingers beanbag is out of his hand	
		leans very slightly to therapist, looking at ball right hand holds left wrist opens hand then lets go	
139			
140	Т	does another small demonstration of ball movement passes it to patient	
141	Ρ	yes {yes }	
142	Т	{al [†] right}	
143 144	Ρ	reaches both hands towards ball	
145	Ρ	aa=	
146 147	Р	has it in both hands, places it in open left hand with his right hand	
148 149 150	T T P	moves own hand away, starts to demonstrate =so hold that {(.) with} the tips of yer fingers $\{\Sigma ah \}$	

151	Ρ	has it in hand but not really tips of fingers as per her demonstration
152 153 154 155 156	T T P	with left hand demonstrates the finger and thumb movements just see if you can move your <u>thumb</u> to move it <i>starts a small movement</i> (.)
157 158 159 160	T T P	stops demonstration that's it (.) just the tip of yer thumb >not working squeezing ball
161	Т	holds left hand out and wiggles thumb up and down, large amplitude movement now wriggles fingers
162 163 164	T P	quite so ha:rd (.) just tryin to wriggle it in yer fingers glances to the hand
165 166	P P	(Σ no) small squeezes continue
167 168 169	T P	opens left hand, looks down and stops the movement though hand still held out ° \downarrow no it's not° ((sighing))
170 171	т	does a small finger wiggle (2)
172 173	Ρ	squeezes very slightly
174	Т	leans slightly up and in to patient and turns head more to him, still looking at ball, lowers left hand onto her right hand on her lap, slight shaking of head
175	т	yer working ever so 'ard >it's not <u>that</u> difficult

176 177	Ρ	very slight squeezes continue
178 179	Ρ	↑no
180	т	reaches and takes ball out of patient's hand holds it in her left hand in front of patient does a squeeze of ball
181 182	T P	no {bec}ause you don't need to (.) really grip {°no}
183 184	Ρ	his left hand stays supinated and open, with his right hand he continues to grip his left forearm
185	т	rolls ball side to side, looks different from her first demonstration, is more of a pronation and supination movement so ball goes side to side starts to roll ball with thumb forward and backwards
186 187 188	T P	it {you} just need to try {an } try and move it either {no } {ah}
189 190 191 192	T T P	sideways movement of ball by rolling hand over rather than much thumb movement forwards {and } backwards or si:deways {mm }
192 193 194 195 196	T P P	puts ball back in patient's open hand m↓m: gaze follows the ball
196 197 198	Ρ	(that's ah)
198 199 200	т	hands folded in her lap (3)
200	Ρ	squeezes ball again, slightly more thumb movement

202		
203	Т	that's better
204 205	Ρ	Σ ah ah
203 206 207	т	at end of pause, raises her left hand and demonstrates a slightly different movement (2)
208 209	Ρ	3 more squeezes
210	т	side [↑] ways
211	P	glance to therapist's gesturing hand
212	•	graniee to therapiet e geotaning hand
213		(7.5)
214	Р	hand is more supinated, squeezes but does not appear to get sideways movement
215	•	
216	Р	Σ° ah uh uh
217	-	
218	т	reaches to patient's thumb
219	P	am I doin alfrigh fuh
220	P	slight hand movement towards therapist
221	•	sight hand movement towards therapist
222	т	has hold of patient's thumb with right hand
LLL	•	raises her left hand too and both reposition his thumb more on top of ball
223	т	\downarrow ye:ah jus need to work on that (.) on that thumb
224	P	mm
225	P	thumb is only a little more on top, no apparent movement
225 226	Г	thank is only a null more on top, no apparent movement
220	т	takes hold of nationt's thumh again with her right hand and his fingers with her left hand
228	Ť	<i>takes hold of patient's thumb again with her right hand and his fingers with her left hand</i> need to
228 229	I	

230	т	moves patient's thumb so ball rolls sideways, grips as before there is a noise from another patient in the gym: therapist glances over, then back down to patient's hand
231 232		(5.5)
233	т	lets go of assistant's hand then puts hands on her lap
234	т	that's it (.) like that
235 236	Ρ	continues moving ball side to side slightly
237 238	т	<i>4</i> seconds into the pause, she reaches over and takes ball from patient (7)
239	Ρ	moves ball side to side but is pronating and supinating, rather than moving it with thumb he readjusts his right hand when therapist takes ball he turns his head and gaze to follow her actions
240	_	
241	Ţ	has ball in her thumb and index, with index on top and rolls it (rather than thumb on top as before)
242 243 244	T P	right and then the other thing I want you to do is jus see if you can hold it between yer looks to therapist's hand
245	т	shakes ball taps own thumb with her right hand starts to pass ball to patient
246	Т	finger (.) and yer thumb
247 248	P	raises hands towards ball
249 250	Ρ	thumb

251 252 253 254	T T P	<i>reaches for patient's left hand</i> it{'s probab}ly a bit big for <u>that</u> {oh yeah }
255 256 257	т	with two hands assists patient's positioning of ball in his left hand (2)
258 259	Ρ	oh
260	т	lets go of patient
261 262	т	see how you go on (4)
263	Ρ	pronating / supinating action five times has not positioned it in his hand quite as therapist had it: ball rests along the side of patient's index rather than tip of index on it, and his thumb is on top rather than on the side
264		
265	т	demonstrates with own left hand with finger up and thumb down slightly takes hold of patient's wrist with her left hand
266	т	just try and <u>move it without moving the wrist too much</u>
267 268	Ρ	looks to the rapist and stops movement
269	Р	oh yeah (.)
270	Р	Σooaah
271 272	Ρ	virtually no movement
273 274	T T	<i>takes hold of patient's finger and thumb which are holding the ball</i> °that's it° so your

275 276	т	twice turns ball, which patient is also holding, as she does so, ball drops to floor to patient's right
277 278		(1)
279	т	reaches down quickly to ball
280	т	ooh
281	Р	looks down to ball,
202		still holds his hands in the position they were in when manipulating the ball
282 283	т	gets off bed and goes down to get ball
284	P	aah ooh dear
285	•	
286	т	down and getting ball
287	Т	huh °h
288	Р	glances way to right, (?at other patient), does not look down at ball
289		
290 291	Р	(1.5)
291	F	as therapist comes up in front of patient, he looks downwards quickly
293	т	coming up in front of patient
294	Ρ	sorry
295	Р	looking down and left
296		
297	T	therapist changes direction and walks away round patient's right side and the bed
298	Т	=s'alright let me see if I can find my (.) my pen
299 300	Ρ	looks down looks to left to where beanbag and his shirt are

301 302	т	is mainly off camera – she is at the filing cabinet which has equipment on top of it (14)
303	Ρ	looks in direction of shirt and beanbag at 6 seconds, he looks down, at 8 seconds looks forwards
304		at 11 seconds he starts to squeeze left fingers and thumb then looks down to them then rubs his left wrist
305 306	т	((off camera)) ooh five one two six ((to other therapist))
307 308	т	at end pause, she walks in, in front of patient, holding a pencil (6)
309 310	Ρ	rubbing his wrist, stops just before therapist is seen to re-enter camera view
311	т	holds pencil in front of her sits down, holds pencil in front of her horizontal in thumb and finger tips, looks down at it
312	Т	((<i>coughing</i>)) this is better
313 314	Ρ	glances to pencil
315	т	still holding and looking at pencil leans in more towards patient with the pencil held out
316	Ρ	not 'avin a very good ↑time are we
317	Ρ	very slight head movement towards therapist <u>slight</u> glance to therapist
318		

319	т	looks down at pencil, still holds it out ((throughout turn does not look up to patient: head, gaze and body appear oriented to pencil)) moves pencil nearer to patient and starts to roll it in her thumb and index finger
320	Т	=no you're doin fi:ne °h >I want you <just fingers="" just="" like="" movin="" over="" practise="" th="" that="" to="" {that="" {yer="" }="" }<=""></just>
321	Р	{yeah} {Σ°aah°}
322	Ρ	opens own hand slightly
323		
324	Т	see if you can manage °h s- that's quite difficult that's
325	Ρ	slight hand shift towards pencil
326		
327	т	passes pencil into patient's hand
328	т	asking quite a lot of yer thumb really
329		(5)
330	Ρ	grips pencil between thumb and fingers, not much visible rolling pencil movement is apparent
331		
332	т	reaches towards the pencil but doesn't take hold
333	т	1 mm oh: that's better 1 yeah
334	Ρ	very small movements of pencil and fingers

S2Ph3PaHT3/11.44

1		(8)
		therapist is in the treatment cubicle, but looks out of it through the curtain i.e. her back is to the patient
		at 6.0 seconds, turns to patient
2		patient is looking downwards with head slightly turned towards therapist
3	т	is at patient's right side and puts her knee up on the treatment bed places hands on front and back of patient's trunk
4	Т	right up we ↑come
5	Ρ	looking down
6		
7	_	(0.5)
8	Ρ	glance at therapist's hand then to middle distance and forward
9 10	Р	(yes >up we come)
11		
12	Т	looks down to patient's trunk, then moves hands from it to the patient's right arm
		moves arm up and down twice, observing it
13		(13)
14	Ρ	raises head slightly, straightens trunk slightly,
		turns to look to his hand as therapist raises his arm
15		
16	Т	lowering the patient's arm back down
		puts patient's right hand down on his lap
17	т	ri:ght ↑OK:
18	Ρ	looking down
		starts to raise his left arm slightly

19		
20	Т	walks round to patient's left side, looking down
		picks up patient's left, affected hand and raises her knee onto treatment bed
21	Т	just seein' how they work on <u>that</u> side
22		
23	Т	looks at posterior aspect of patient's shoulder
		raising his left hand
		takes hold of patient's left elbow with her other hand
		raising patient's left arm higher and higher
24	Т	comp{ared to} (.) what's happening on this side
25	Ρ	{yes }
26		
27	Т	lowers patient's arm
28	Ρ	Σ° mm
29	Ρ	looks forward and down, middle distance
30		
31	Т	gets on treatment bed with both knees, to move further behind patient
		raises and lowers his arm three times
		then changes grip and appears to palpate patient's left biceps and elbow
32		(15)
33	Ρ	looking forward, middle distance, looks briefly down towards his arm when therapist changes grip
34		
35	Т	moves hands so both are on his affected hand and wrist
		glances up to patient
36	Т	°h so where does it (.) fee:l <u>stiff</u>
37	Ρ	rapid, large amplitude head turn towards his affected arm
		starts to reach over with his right hand
38		

39 40 41 42 43	T T P P	is still kneeling on bed on both knees, at patient's left side {in yer ha}nd: {just in the} his right hand touches the open palm of his left, affected hand is looking at it
44	т	looks closely at patient's palm and makes slight grip adjustments, turning the palm up puts her thumb over his wrist
45	Р	in the 'and in the- guiders I
46	Ρ	draws right fingers over his affected left palm twice looking down to hand
47		
48	Т	turns patient's hand over into pronation, continues to look at it
49	Ρ	think in the 'and
50	Ρ	starts to move and lower his right hand back towards his lap and moves gaze to look forwards and down
51		-
52	Т	starts to move patient's affected arm
		arm stretched fully forwards back
		forwards
53	Т	((<i>serious 'thoughtful' tone</i>)) ri:ght (.) so the elbow feels OK does {↑it }
54	Ρ	{the}
55	Ρ	gaze forward and down
		brief glance to therapist
56		~ ,

57 58 59	Ρ	<i>patient's arm still moving back and forward</i> elbow's (uh) feels alright yes
60	Т	looking at patient
61	Т	shoul∱der
62 63	Ρ	yes
64 65	T T	arm comes to a stop, in a position partly stretched forward no problems
66	_	
67	Ţ	keeps hold of patient's left hand and arm in this position
68	P	no
69	Ρ	slight head shake and turns gaze forward and down again
70	_	(.)
71	Р	{no }
72	Т	{^no}
73		
74 75 76	т	adjusts grip on patient's hand (0.5)
76 77	т	mobilisations of patient's finger and thumb joints start
78	Ť	mainly the <u>hand</u>
79 80	P	looks down to his left hand and the therapist

81 82 83	T P	shifts her body position, climbs off treatment bed and sits down on it, keeping hold of patient's hand and looking down at it during the move also continues the mobilisations of his thumb joints as she moves (2) maintains a gaze downward and forwards
84	т	reaches sitting position on treatment bed
85	Ť	°hh it's still a little bit swollen in't it- >ave you been doin that massa:ge
86	Т	that we suggested
87	Ρ	reaches up to scratch right ear with right hand
88		
89	Т	continues to look down and to mobilise his finger joints
90	Ρ	ye:s yes
91		
92		mobilising patient's thumb
02		looks up to patient at end of pause
93 94		(1.5)
94 95	т	looking at patient, mobilises thumb
50	•	glances to patient's hand
		looks down
96	Ρ	I've been doin the <u>fing</u> er exercise an that
97	Ρ	brief gesture with right hand
98		
99 100	Т	yeah

 101 T mobilising fingers turns head to look at patient
 102 T 'ave the OTs seen ↑you

S3Ph4PaMT1/2.09

1 2 3 4	T T P P	kneeling on treatment bed behind patient, her hand is over patient's left hand al:ri:ght >are you <u>happy sta</u> nding [↑] there [↑] yeah yeah yeah standing with hands resting on adjustable height table in front of him
5	т	climbs to move closer to his side,
6	т	her right hand behind his left elbow, her left remains flat over his left hand OK
7 8 9	т	slightly readjusts / moves her hands on his arm as she clambers forwards (2)
10 11 12	т	what about just
13	т	looking downwards turns head towards patient and smiles soon after his hand movement has begun
14		(4)
15	Ρ	immediately starts to flex trunk, his left elbow flexes then his hand starts to push forward a little, with a judder as therapist looks and smiles, patient stands straighter and draws arm back looking down at hand throughout
16		

17 18	T P	\$I hadn' even ↑said ↓then\$ at start of therapist's utterance he is at end of drawing back his arm at end of utterance, starts to move arm forward again
19		with slightly audible out breath and closes mouth ((appears effortful))
20		
21	т	appears to give more assistance to patient's arm movement, looks down towards end of pause
22		(2)
23	Р	another arm forward and back movement - smoother
24		
25	т	starts utterance as patient's hand is still coming backwards looking down at hand
		patient's hand is in furthest back position
		readjusts her hand on his
26	Т	right >I want to try and mo:ve ye- arm (0.2) and at the moment you're actually
27	Р	looking down throughout
		opens mouth ((?effort or sigh)) nods
28		
29	Ţ	looks up to patient
30	T	<using <u="" just="" moving="" of="" sor-="" yer="">body</using>
31	P	yeah
32	Ρ	nods
33 24	т	looks down to hand again
34 25	Ť	looks down to hand again
35		°h to move your arm
36	Ρ	mm

37		
38	т	draws patient's hand back slightly and looks to patient gazing down
39	т	OK so if you \uparrow let me \downarrow do it (.) >I just want to < \uparrow feel what it's li <u>ke</u>
40	P	nods
41	-	
42 43	Ρ	°uh huh°
44	т	begins to guide patient's arm forwards
45	-	(2)
46	Р	does not flex trunk or hips
47		
48	т	iť's ∱really just
49		
50	Т	looking at patient
51		(3)
52	Ρ	another forward and back arm movement, then forward again
53		
54	т	look at patient changes body position looking at patient still puts right foot on the bed (was kneeling on it before)
55	т	as far as that >=that's as far as yer <arm any="" arm="" can="" further<="" go="" make="" th="" to="" your="" °h=""></arm>
56	Ť	yer quite right you'd [†] have to { <u>then:</u> }
57	P	{have to} move me body
58	P	nodding
59	-	

60	т	looks down to patient's hand again
		starts sliding hand and arm further forward so far that patient's trunk flexes
		gazing at patient
61	Т	bend over (.) and move yer body \uparrow wouldn't you
62	Ρ	mm

S4Ph10PaRT3/10.24

1	т	sitting in front of patient on a stool, holding patient's hands in his looking downwards
		starts to raise patient's hands out sideways starts to bring the hands somewhat forwards too
2	Т	right O↓K
3	Ρ	sitting on treatment bed
		<u>slight</u> head poke forwards and backward
		looks down (?at therapist)
		arms start to move under therapist's guidance
4		
5	Т	continues to look down to patient's legs / trunk
		continues forwards and outwards movement of patient's hands,
_		movement pauses at end of silence, arms held still
6	_	(2)
7	Ρ	looking down, but a short eyebrow raise and glance up to therapist's face as he raises her arms, shoulders shrugging up as her hands raise and elbows straighten, leans forwards with the arm movement
8		
9	Т	arms held still looks up to patient's face and slightly lowers her hands
10	Т	jus gent{^ly}
11	Ρ	{d'}you want me to s:- s:-
12	Ρ	looking at therapist's face before this utterance starts
		eyebrow raise
13		

14	Т	lowers patient's hands down and in slightly,
		also pronating the forearms as he does
		looks at patient's face
		at ~2 seconds he draws the patient's hands forwards again
15		(3)
16	Р	keeps looking at therapist,
		eyebrows raise on the second raise,
		a small head shake and a mouth movement – blowing out slightly
		((face expression looks questioning or bemused))
		leans back then forwards with the arm movements
17		
18	т	patient's hands held forwards, almost still
	-	head turns, looks to patient's left and his own right hand
19	т	°just follow my ↑hands°
20	P	looks down and forwards
20	Г	
04		her gaze follows therapist's to her left hand
21	-	
22	Т	looks forwards
		draws patient's hands forwards more.
		At ~1.5 seconds, looking at patient's face,
		slight vertical lift and lowering of patient's hands
		gaze lowers just after patient's hands lower
23		(2.5)
24	Р	looks down then up at camera with a ((wry)) smile
25		

45

26	т	looking down at patient's hands which are at their lowest shifts grip, letting go of patient's hands then taking hold of backs of hands/wrists, pronating patient's forearms and hands more rapidly
27	Т	\$huh °hh
28	Ρ	gaze has lowered again
20	•	still smiling
29		U
30	т	looking down, drawing patient's hands forwards again, her forearms well pronated slight pause when arms are all the way forwards at ~2 seconds, then lowers the hands, still looking down
31		(2.5)
32	Ρ	looking down, leans forwards as her arms are drawn forwards
33		-
34	т	looking down, patient's hands are going backwards
		end point of the backward movement
35	т	°jus wanna <u>see</u> how you ↑move°
36	P	leans back with the arm movement, looking down and still smiling
30 37	Г	leans back with the ann movement, looking down and still similing
38	т	looking down
50	•	slight adjustment of grip on patient's hands which are paused in backward position, then draws them forwards again.
		at ~3 seconds fully forwards,
		then half way back with slight grip adjustment and head raise
39		(4)
40 41	Ρ	leaning forwards and back following therapist's movement of her arms

42	Т	hands are back, starts to draw them forwards during this utterance, gaze at patient's face then down again
43 44	т	(higher)
45	т	draws patient's hands well forwards and pauses with them forwards, while pausing, sighs and then turns head towards assistant and starts small vertical movements of patient's hands in his
46		(3.5)
47	Ρ	looking down
		leans forwards again following the therapist's movement of her hands and arms as therapist's head raises towards assistant's,
		patient's gaze raises briefly to therapist then up over his shoulder ((?at camera)) then back to therapist's face
48		
49	Т	gazing at assistant keeps patient's hands and arms forwards and does small vertical movements up/down (('weighing' gesture))
50	т	°pull 1down°

51

52	т	turns head towards patient lowers patient's hands down again, still pronated, when hands are most of the way down and back to her body, he lets go of his grip on backs of her wrists and moves them further up onto the back of forearms momentarily then to back of patient's arms just above her elbows quick glance to patient's left arm as he changes grips
53		(4)
54	Ρ	leans back as therapist moves her arms backwards when they are back, her smile widens a further relatively long camera glance towards end of this pause ((researcher is moving camera)) then looks down again and looks briefly at therapist's left hand as he adjusts his grip
55		
56	Т	looking down has hold behind patient's lower arm just above backs of elbows
57 58	т	°mm°

59 60 61	Р	rapid gaze shift towards patient's legs/trunk, now has more of a fingertip touch than a grasp on back of patient's arms, starts to draw these forwards does so for 3 seconds, then pauses, and head and trunk and gaze shift to patient's leg Towards end of pause, returns head and gaze to a more central position towards end of pause, a slight backwards movement of his trunk and her arms then further forwards and pauses well forwards (6) brief look at therapist's left hand, then looks down,
•	-	bends forwards as therapist draws her arms forwards
		Brief glance up to therapist's face as he draws her arms forwards
		Then following therapist's gaze shift to look to her left leg, she looks down
		Just as therapist's head starts to rise and centralise,
		patient looks up at his face and maintains her gaze on his face
62		
63	Т	looks slightly down and centrally
		arms paused
64	Ρ	↑what am <u>I</u> tryin to ↓ <u>do:</u>
65	Ρ	slightly lowers gaze and slightly to right
		gazing at therapist's face, slight nod
66		
67	Т	looking at patient's face
		shifts hands to grip front of arms (distal biceps)
68	_	(0.5)
69 70	Р	looking at therapist

71	т	gaze at patient's face shifts hands over her arms towards backs of patient's arms slight head shakes starts to draw patient's arms further forwards again speed of movement forwards increases pauses in forward position, looks down
72	т	°well° (.) ∱you just follow my ∱hands hah hah hah hah hah (.)
73	Ρ	bends forwards with therapist's movement of her arms
15	•	slight head shake and looks down ((?resigned / wry expression))
74		sight head shake and looks down ((!resigned? wry expression))
75	т	looking at patient
75	•	
		movement is paused
		starts to move patient's arms backwards again, head raises patient's arms well back , most of way towards her body sides,
		therapist shifts grip to fronts of patient's arms (biceps)
76	т	
		I'm de↑liberately not (.) ↑telling you
77	Ρ	follows, leans backwards
		looks up to therapist
		slight smile
78		
79	Р	°mm hm°
80	Р	at therapist then lowers gaze, slight head turn to her side (where assistant is), smiles
81		
82	т	lowers his hands slightly over front of her arms
		gaze to patient's face
83		(1)
84		

85	т	gazing at patient
		now has hold of back of patient's upper forearms,
86	т	starts draw patient's arms forwards again and supinates them
80 87	T P	hah hah >which is <u>ver</u> y frustrating in' it looks to left slightly,
07	F	smiling
		leans forwards as therapist moves
		looks to therapist's face
		looks down, continues to lean forwards and down
88		
89	Т	looking to patient's face
		then lowers head and gaze down and to his right towards patient's left leg / lower trunk
90	Ρ	= <u>ab</u> solutely
91	Ρ	eyebrows raise, looking down, well bent forwards
92	_	
93	Т	looking down to his right, her left
04		continues drawing patient's arms forwards, supinated, pauses at end
94 95	Р	(1.5) looking down
95 96	Г	looking down
90 97	т	moves patient's arms back again, still looking down and left
57	•	pronating patient's arms more
98	Т	°hh I just wanna see how you 1 move
99	Ρ	follows the lean back, looking down
100	•	
101	Т	pauses with patient's arms back
102		(0.3)
103		

104	т	still looking down and to his right slightly		
		rapid forwards and supination movement of patient's arms		
105	Т	what you're (0.2) °hh ↑tending to ↓do °hh (we-)		
106	Ρ	looking down looks up to therapist		
107		5		
108	т	adjusts grips so they are now over fronts of patient's elbows and draws patient's arms forwards and into supination ((?sighs))		
109		(3.5)		
110	Ρ	as therapist draws her arms forwards, she looks down again and follows with arms and trunk		
111				
112	т	looks up to patient's face, holds her arms forwards		
112	•			
440	-	adjusts grips head raises to patient more		
113	1	and yu- (.) uh (.) when you <u>say</u> you're gettin:		
114	Ρ	looks to therapist, leaning back		
115				
116	Т	extends own trunk		
		takes hands off patient's and places them on his own lower back		
117	т	the arthritis in your (0.5) round the outside here		
	, D			
118	Ρ	nods and looks down		
119				
120	Ρ	mm ¹ hm		

S1Ph2PaCT4/11.54

1		Therapist is assisting patient to walk, a junior therapist is pushing a wheelchair behind, therapist is to patient's left, affected side, and sitting on a wheeled stool			
		patient has a tripod walking stick to support his right side, therapist has been bending down to help his left leg forward each time it needs to step forwards			
2	т	There you got any ↑shoes ↑(patient name)			
3		(.)			
4 5 6	Ρ	yes			
5		(2.0)			
6	J	(but his) feet are too swollen			
7 8 9	Т	mmhmm			
8		(2.3)			
9	Т	(n) they <u>don't</u> ↑fit at the ↓moment			
10		(0.3)			
11	Ρ	pa{rd-}			
12	Т	{th_}}is is ↑ <u>ex</u> cellent			
13	Ρ	↓is ↓it			
14		(3.5)			
15	Ρ	((sniff)) (.) are you trying to encourage me are ye			
16		(0.5)			
17	Т	wa- what do <u>you</u> think			
18	Ρ	y <u>es</u>			
19		(2)			
20	Т	normally you have <u>two</u> people helping you to \downarrow walk			
21	Р	do I			

22	Т	gazes to patient's face at very end of pause, therapist lowers her head and gaze and moves her left hand on his buttock slightly
23		(3.5)
24	Р	well ↑one is supp <u>ort</u> ed by (a) stick
25		(0.2)
26	Т	looking at patient, then lowers eyelids
		starts a body shift - bending down to reach towards patient's left foot with her left hand
		fully down (?has hold of patient's foot)
27	Т	yeah↑ (.) but there's <u>still</u> : (it's) two people <u>and</u> a stick normally
28	Т	isn't it so:: ↑LEFT LEG ↑then or are you going to do your right
29	т	∱good an again

S1Ph1PaBT2/11.16

1 2	T P	go ↑on I'm with you >I'm near you has been sitting on treatment bed, is attempting to stand up, has previously practised this with support of a stool in front, stool has now been removed rising towards standing
3 4	т	is sitting at patient's side on a stool looks up towards patient towards end of pause
5		(1.5)
6	Ρ	rising towards standing
7		
8	Т	1su:↓perb
9	Ρ	rate of ascent slows
10		
11		(0.2)
12	Р	°good°
13	Р	looking forwards
14	•	
15		(1.0)
16	Р	standing still and relatively upright
17	•	standing still and relatively upright
18	т	≜tueen
	•	Туеар
19	-	turns based to left, reaches with left based to indicate where the steal was in fract of resting t
20	T	turns head to left, reaches with left hand to indicate where the stool was in front of patient
21	Т	↑and then < <u>sti:ll</u> imagine where it i <u>s</u> there (.) ↑nice n ↓slow
22	Ρ	starts to descend
23		

24	Т	is sitting, watching patient's legs/arms/trunk
25 26 27	Ρ	(2.0) slowly descending
28 29	T P	bending those <u>knee:s</u> looking down, slowly descending
30 31 32	Р	(5.0) descent slightly jerky
33 34 35	P P	I'm a $^{ extsf{bit}}$ ↓wobbly is about half way down, and still looking forwards and down
36 37 38 39	T T P	very small head shake, still looking at patient's legs/arms/trunk <u>=no</u> but <u>↑that's ↓fine</u> >I'm just so impressed with the con↑t <u>r:ol</u> you've ↓got still looking down, and lowering self slowly
40 41 42		(3.0)
42 43	т	head and gaze up to patient's face
44	Т	<u>↑ex</u> ↓cellent we'll ave a <u>brea</u> ther {(.) >w}e're gonna do <u>two</u> more
45 46	P P	{yes } bottom is down on bed nodding
	F	bottom is down on bed nodding turns to therapist, smiles looks down ((appears shy or embarrassed at the praise))
47 48 49 50	T T P	slight head shakes and makes a gesture of opening hands and then that'll be it for the sit to stand nods repeatedly

S1Ph1PaBT2/11.15

1 2	T P	mm >yer ∱go >I think you just gotta keep °hh <i>rising quicker movement stopping</i>
3 4 5 6 7	T T P P	at patient gesture left hand upwards ex∱periencing it {have }n't yer ↓really ∱fee:ling it whad it's like when yer {yeah} nod eyebrow raise nod, body is stationary
8 9 10 11 12	T T P	<i>two hand gesture ((indicating 'balancing'))</i> <u>bott</u> om comes off the {^bed } >and you feel like >ooh crikey {that's it}
13 14 15	T T P	<i>rubbing knees</i> {I'm } only on my {two } ↑ <u>legs</u> you ↑know {yeah} {yeah}
16 17 18 19 20	T T P	looks down to arms/stool °hh and then back
21 22 23	Ρ	(2.0) slightly jerky descent

24 25 26	T P P	<i>looking up to patient's face</i> they've ad <u>long enough</u> rests aven't ↓they <i>about half-way down at start of utterance</i>			
27 28 29		still slowly lowering and looking forwards and down (1.5)			
30	т	gaze follows patient down wheels stool back slightly			
		has adopted a leaning forward posture, elbows on knees leans towards a position that is more face-to-face with patient			
31 32	T P	<u>WE:LL:</u> ↑I ↑think they've been working as (.) °h much as they ↑can ↓do hands on stool			
33 34 35	Ρ	(.) hands off stool turns face and gaze to therapist (bottom is not touching bed)			
36 37 38 39	T P P	{since you've had} the stroke {you } know {yes ()} {mm} <i>looking at therapist, nods</i>			
40 41 42 43 44	T T P P	bottom is now on bed looking at patient {> I think } thud it's just that they °hh – the stroke made them well <u>wi</u> { <u>one</u> } leg anyway ↑wea↓ker {mmhmm } looking away looking to therapist			

45 46 47 48 49	T T P P	sloping hand gesture and like you say as yer having more <u>re{sts</u> y- y- yo}u do yer legs {yeah } at therapist nod gaze moves away - forwards and down readjusts hands			
50 51	т	slight nods gaze down			
52	Ť	do sort of urm °h lose their 1 strength I'm sure			
53	P	gaze down and forward slight nod			
54	•	guzo down and forward oligne nod			
55 56		(.)			
57	т	up to patient			
58	Ť	°h b{ut } yer 1gettin there 1 <u>now</u>			
59	P	{yes}			
60	Ρ	raises hands slightly glances to therapist			
61 62	Р	good			
63	P	further forward and upward movement of hands ((same movement as recurrently adopts when she starts a stand)) glance to therapist and nod			
64	_				
65	Т	down to stool			
~~	-	moves forward on stool and hands go towards wooden stool			
66	I	>yeah WE'LL DO ↑AG↓AIN and we're gonna try			
67 68	Р	still sitting in readiness			

69 70	T T	<i>left hand taps on stool, then reaches toward the carrying hole in middle of stool's top</i> without the stool so you've still got to reach as
71 72	Ρ	lowers down hands
72 73	т	gesture with right hand – strokes along stool and back, and leans forward moves stool away
74	т	↑F:AR and as I:ow bu –I'm gonna put the stool to the…

S4Ph9PaUT1/2.55

1		(.)
2	Ρ	°h
4	Ρ	((<i>yawn</i>)) (yes) thank
5	Α	good
6		(3.8)
7	Т	sure you're alright
8	Ρ	yeah
9		(0.4)
10	Т	you don't want a drink o(r) anything
11	Ρ	°h (°no I shall manage for a minute or two°)
12		(0.8)
13	Т	> ave you ad <u>en</u> √ <u>ough</u>
14		(0.3)
15	Ρ	no: >I'm not bothered <i>((flat tone))</i> (0.2) 'sup to you en <u>tir</u> e↑ly
16	_	(0.3)
17	Т	no it's \downarrow no:t (0.2) doesn matter to \uparrow u:s (up to) you
18	Ρ	√m↑m
19		(1.0)
20	Ρ	ohw
21	Ρ	(think you)
22	_	(.)
23	P	(think) you ach <u>iev</u> ed some↑thing
24	T	\uparrow d'you think you achieved {some \uparrow thing}
25	Α	{°yeah° }
26		(1.0)

27	Р	°h not up to me it's up to you
28		(.)
29	Т	{hhhhh }
30	Ρ	{teacher}
31	Т	hh uh huh \$the tea:↓cher\$
32	Т	°hh ↓n:o:
33		(0.3)
34	Т	°h s' what ∱you want you gotta get better {aven't} you
35	Ρ	{°ahh°}
36	Т	{^yeah}
37	Р	{(no) } but I can- I don't know ↑what's ↑be↓tter
38	т	$\rightarrow \sqrt{a}$ $\frac{1}{1}$ $\frac{1}{2}$ $\frac{1}{$
39	Р	ye{:s }
40	Т	{and} you ach↑ieved it
41	Ρ	yes
42	Т	so you ↑'ave achieved something
43	Ρ	(l've) achieved something °y{es°}
44	Т	{^ye:}ah:
45		(0.5)
46	Ρ	`mm´
47	Т	very good
48		$(0.2)^{-1}$
49	Т	<uh: (0.2)="" (<u="" m="" sometimes="" still="">patient name) (.) you're (.) you are falling this way</uh:>
50	Ρ	=yes I know
51	Т	so we just <u>need</u> to perf <u>ect</u> it a ↑little bit <u>more s</u> o that you don't ↓fall >you can ↑ <u>sit</u> all con- con↑sistently <u>right</u>
52	Р	mm
53	Ť	↑ye:ah
	-	- 5

57Twithout falling say > I mean we ↑should (a) count 'ow many times you lost yer balance say58Pyeah59Tprobably been about five (.) and you aim for n- ↑no ↓times losin' yer balance60P√mm61T'ave you ad enough in 'ere today62Pyes °thank you°63Jyeah65Tyou've done ↑very well66P{good}67A{mm }68Thow long did he la:st: compared69Tto {last ↓time}70J{yeah: }71Jjust (.) loads more72Te done loads more73Jyeah I mean be↑ fo:re (.) if (.) y know > you'd sit up woudn't you74Jand you'd be {(.) b} e everywhere and (s like) I needed to be at your si:de75Pyes:77Jside all the time >cause you were just falling to your ↑left78Pmm79Jvery much80Tcause we though (patient name) we'd 'ave <u>three</u> of us: because °h yer sittin81J°h yeah	54 55 56	T P	(0.2) in a session yeahp
59Tprobably been about five (.) and you aim for n- $no \downarrow times losin' yer balance$ 60P $\downarrow mm$ 61T'ave you ad enough in 'ere today62Pyes °thank you°63Jyeah65Tyou've done $\uparrow very$ well66P{good}67A{mm}68Thow long did he la:st: compared69Tto {last $\downarrow time}$ 70J{yeah: }71Jjust (.) loads more72Te done loads more73Jyeah I mean be \uparrow fo:re (.) if (.) y know > you'd sit up woudn't you74Jand you'd be {(.) b} e everywhere and (s like) I needed to be at your si:de75P{mm}76Pyes:77Jside all the time >cause you were just falling to your \uparrow left78Pmm79Jvery much80Tcause we though (patient name) we'd 'ave three of us: because °h yer sittin	57		without falling say > I mean we fshould (a) <u>count</u> 'ow many times you lost
60P \downarrow mm61T'ave you ad enough in 'ere today62Pyes °thank you°63Jyeah65Tyou've done \uparrow very well66P{good}67A{mm}68Thow long did he la:st: compared69Tto {last \downarrow time}70J{yeah: }71Jjust (.) loads more72Te done loads more73Jyeah I mean be↑ fo:re (.) if (.) y know > you'd sit up woudn't you74Jand you'd be {(.) b}e everywhere and (s like) I needed to be at your si:de75P{mm}76Pyes:77Jside all the time >cause you were just falling to your \uparrow left78Pmm79Jvery much80Tcause we though (patient name) we'd 'ave three of us: because °h yer sittin	58	Р	yeah
61T'ave you ad enough in 'ere today62Pyes °thank you°63Jyeah65Tyou've done \uparrow very well66P{good}67A{mm }68Thow long did he la:st: compared69Tto {last \downarrow time}70J{yeah: }71Jjust (.) loads more72Te done loads more73Jyeah I mean be^ f fo:re (.) if (.) y know > you'd sit up woudn't you74Jand you'd be {(.) b}e everywhere and (s like) I needed to be at your si:de75P{mm}76Pyes:77Jside all the time >cause you were just falling to your \uparrow left78Pmm79Jvery much80Tcause we though (patient name) we'd 'ave three of us: because °h yer sittin	59	Т	probably been about five (.) and you aim for n- \uparrow no \downarrow times losin' yer balance
62Pyes °thank you°63Jyeah65Tyou've done ↑very well66P{good}67A{mm }68Thow long did he la:st: compared69Tto {last ↓time}70J{yeah: }71Jjust (.) loads more72Te done loads more73Jyeah I mean be↑ fo:re (.) if (.) y know > you'd sit up woudn't you74Jand you'd be {(.) b}e everywhere and (s like) I needed to be at your si:de75P{mm}76Pyes:77Jside all the time >cause you were just falling to your ↑left78Pmm79Jvery much80Tcause we though (patient name) we'd 'ave three of us: because °h yer sittin	60	Р	
62Pyes °thank you°63Jyeah65Tyou've done \uparrow very well66P{good}67A{mm}68Thow long did he la:st: compared69Tto {last \downarrow time}70J{yeah: }71Jjust (.) loads more72Te done loads more73Jyeah I mean be↑ fo:re (.) if (.) y know > you'd sit up woudn't you74Jand you'd be {(.) b} e everywhere and (s like) I needed to be at your si:de75P{mm}76Pyes:77Jside all the time >cause you were just falling to your \uparrow left78Pmm79Jvery much80Tcause we though (patient name) we'd 'ave three of us: because °h yer sittin	61	т	'ave you ad enough in 'ere today
65Tyou've done \uparrow very well66P{good}67A{mm }68Thow long did he la:st: compared69Tto {last \downarrow time}70J{yeah: }71Jjust (.) loads more72Te done loads more73Jyeah I mean be↑ fo:re (.) if (.) y know > you'd sit up woudn't you74Jand you'd be {(.) b}e everywhere and (s like) I needed to be at your si:de75P{mm}76Pyes:77Jside all the time >cause you were just falling to your \uparrow left78Pmm79Jvery much80Tcause we though (patient name) we'd 'ave three of us: because °h yer sittin	62	Р	yes °thank you°
66P{good}67A{mm}68Thow long did he la:st: compared69Tto {last ↓time}70J{yeah:71Jjust (.) loads more72Te done loads more73Jyeah I mean be↑ fo:re (.) if (.) y know > you'd sit up woudn't you74Jand you'd be {(.) b}e everywhere and (s like) I needed to be at your si:de75P{mm}76Pyes:77Jside all the time >cause you were just falling to your ↑left78Pmm79Jvery much80Tcause we though (patient name) we'd 'ave three of us: because °h yer sittin	63	J	yeah
 67 A {mm } 68 T how long did he la:st: compared 69 T to {last ↓time} 70 J {yeah: } 71 J just (.) loads more 72 T e done loads more 73 J yeah I mean be↑ fo:re (.) if (.) y know > you'd sit up woudn't you 74 J and you'd be {(.) b}e everywhere and (s like) I needed to be at your si:de 75 P {mm} 76 P yes: 77 J side all the time >cause you were just falling to your ↑left 78 P mm 79 J very much 80 T cause we though (patient name) we'd 'ave three of us: because °h yer sittin 	65	Т	you've done ↑very well
 68 T how long did he la:st: compared 69 T to {last ↓time} 70 J {yeah: } 71 J just (.) loads more 72 T e done loads more 73 J yeah I mean be↑ fo:re (.) if (.) y know > you'd sit up woudn't you 74 J and you'd be {(.) b}e everywhere and (s like) I needed to be at your si:de 75 P {mm} 76 P yes: 77 J side all the time >cause you were just falling to your ↑left 78 P mm 79 J very much 80 T cause we though (patient name) we'd 'ave <u>three</u> of us: because °h yer sittin 	66	Р	{good}
69Tto {last \downarrow time}70J{yeah:71Jjust (.) loads more72Te done loads more73Jyeah I mean be^ fo:re (.) if (.) y know > you'd sit up woudn't you74Jand you'd be {(.) b}e everywhere and (s like) I needed to be at your si:de75P{mm}76Pyes:77Jside all the time >cause you were just falling to your ^left78Pmm79Jvery much80Tcause we though (patient name) we'd 'ave three of us: because °h yer sittin	67	Α	{mm}
 70 J {yeah: } 71 J just (.) loads more 72 T e done loads more 73 J yeah I mean be↑ fo:re (.) if (.) y know > you'd sit up woudn't you 74 J and you'd be {(.) b}e everywhere and (s like) I needed to be at your si:de 75 P {mm} 76 P yes: 77 J side all the time >cause you were just falling to your ↑left 78 P mm 79 J very much 80 T cause we though (patient name) we'd 'ave three of us: because °h yer sittin 	68	Т	how long did he la:st: compared
 71 J just (.) loads more 72 T e done loads more 73 J yeah I mean be↑ fo:re (.) if (.) y know > you'd sit up woudn't you 74 J and you'd be {(.) b}e everywhere and (s like) I needed to be at your si:de 75 P {mm} 76 P yes: 77 J side all the time >cause you were just falling to your ↑left 78 P mm 79 J very much 80 T cause we though (patient name) we'd 'ave <u>three</u> of us: because °h yer sittin 	69	Т	to {last ↓time}
 72 T e done loads more 73 J yeah I mean be↑ fo:re (.) if (.) y know > you'd sit up woudn't you 74 J and you'd be {(.) b}e everywhere and (s like) I needed to be at your si:de 75 P {mm} 76 P yes: 77 J side all the time >cause you were just falling to your ↑left 78 P mm 79 J very much 80 T cause we though (patient name) we'd 'ave <u>three</u> of us: because °h yer sittin 		J	
 73 J yeah I mean be↑ fo:re (.) if (.) y know > you'd sit up woudn't you and you'd be {(.) b}e everywhere and (s like) I needed to be at your si:de {mm} 75 P {mm} 76 P yes: 77 J side all the time >cause you were just falling to your ↑left 78 P mm 79 J very much 80 T cause we though (patient name) we'd 'ave <u>three</u> of us: because °h yer sittin 			
 74 J and you'd be {(.) b}e everywhere and (s like) I needed to be at your si:de 75 P {mm} 76 P yes: 77 J side all the time >cause you were just falling to your ↑left 78 P mm 79 J very much 80 T cause we though (patient name) we'd 'ave <u>three</u> of us: because °h yer sittin 		Т	
75 P {mm} 76 P yes: 77 J side all the time >cause you were just falling to your ↑left 78 P mm 79 J very much 80 T cause we though (patient name) we'd 'ave three of us: because °h yer sittin		J	
 76 P yes: 77 J side all the time >cause you were just falling to your ↑left 78 P mm 79 J very much 80 T cause we though (patient name) we'd 'ave <u>three</u> of us: because °h yer sittin 			
 77 J side all the time >cause you were just falling to your ↑left 78 P mm 79 J very much 80 T cause we though (patient name) we'd 'ave <u>three</u> of us: because °h yer sittin 	-		
 78 P mm 79 J very much 80 T cause we though (patient name) we'd 'ave <u>three</u> of us: because °h yer sittin 	-		
 79 J very much 80 T cause we though (patient name) we'd 'ave <u>three</u> of us: because °h yer sittin 			
80 T cause we though (patient name) we'd 'ave three of us: because on yer sittin			
81 J °h yeah			
	81	J	°h yeah

82	т	wasn' good eno{ugh}
83	J	{no}
84	Т	=but {we } ↓don't need ↑three
85	Ρ	{mm}
86	J	{ho no not at all}
87	Т	{\$he he hmm \$}
88	Ρ	°ah hm°
89	Т	so you ↑must be better
90	Ρ	must be better °hh hu hum
91	J	yeah
92	Т	try and keep yer ((instructions follow as the patient is assisted to get dressed))
		((1) is the following the patient is assisted to get the set $()$

S2Ph5PaMT1/2.13

1 2	T P	ri:ght (.) d'you want to ↑hold onto you:r standing with hands resting on an adjustable height table in front of him
3	т	standing to patient's side points to patient's left hand
4 5	T P	left arm again I'm going to <move before="" of="" out="" sit="" table="" the="" way="" you="" ↓down<br="">moves to take hold of his left wrist with his right hand, and raises his hands clear of the table</move>
6 7 8	Ρ	yeah (OK) (5) (patient looks down, therapist pushes table away)
9	т	let me move my ∱stool: as ∱well
10 11	т	(3) stands and reaches forwards and up to put her two hands one on each of patient's shoulders
12 13	T P	have a <u>sit</u> down for me standing starts to bend
14 15 16 17		(3) audible cracks as patient sits down
18 19 20	P P	ooh I can 'ear that crackin smiling, starts this utterance before fully down

21	Р	\$°hh °hh
22	Ρ	looking at therapist, then downwards
23		
24	т	looks down, sits down
25	•	(1.5)
26	Р	glances at therapist and nods
27	•	giances at therapist and nous
	т	acts down to potiont's know
28	T	gaze down to patient's knee
29	Т	{al√right }
30	Р	{d' you hear} (that) crackin ↑then
31	Ρ	reaches to touch his left knee, glances at therapist
32		
33	Т	nods
34		(1)
35	Р	rubs knee
36	-	
37	Р	°ohh°
38	P	
	Г	smiling ((?wryly)), stops rubbing
39	-	
40	Т	looks down
	_	points to patient's right knee
41	Т	(an) it was your ↑right knee that used to be a problem isn' it
42		
43	Т	looks down ((intent/serious facial expression))
44	Ρ	1 yeah yeah
45	Р	gazing at therapist
46	-	
40 47		(3)
48	Р	glances down
40	F	giances down

т	bites lip and sucks in breath points to and taps patient's left knee, looks up to him and shifts body slightly
T P	nods >°hh that's our <biggest <u="" problem="">walking at the moment (.) definitely glances at knee as therapist taps it then up to her face nods</biggest>
	(1)
Ρ	snappin it back ∱yeah (.) yeah. both now looking down at patient's left knee
T T	<i>gazes up to patient</i> an I think it's worth spending the time as- ↑as we ↑have been doing
Ρ	gazing at therapist throughout
P T P	yeah getting some {erm (muscles)} {^just doing } it <i>nodding</i>
T T P P	<i>gesture with her right hand</i> even it it's ju{st (.) >si}t to stand I mean it's <∱good to ↓ <u>wa:lk</u> {yeah } <i>nodding</i>
T P	(.) <i>look to patient</i> yeah
	T P T T P T T P T T P P T

75 76	Р	small nod, looking at therapist
76 77 78	т	°hh but we don't wanna =↑overdo it at the same ↑time (1)
79	Ρ	nods, looking down
80 81 82 83	T P P	<i>nods</i> well I'd <u>soo</u> n(er) be able to do it ↑properly <i>looking down</i> looks up to therapist
84 85 86 87 88	T P T	{yeah } {(tha) y k}now ↑get some <u>mu</u> scles back {(again)} {I mean} ((<i>louder</i>))
89	т	looking down hand gesture: one hand rolling over the other lowers hands look up to patient other hand gestures
90 91 92	T P	you need is it is it sort of a <u>circ</u> les >you [↑] need to do it to be able to get the <i>looking at therapist</i>
92 93 94 95 96	T T P	hands still ↑muscles working but at the nods
90 97 98	т	same time there's no point letting you do it wrong

99 100 101	P P	no slight head shake
102	т	leans back again slightly looks down to and reaches for patient's right knee with her right hand moves gaze to patient
103 104 105	T P	=all the time °h ↑more of a point that yer ↑knee'll probably get sore if we let it <u>snap</u> looks down to own knee
106 107 108	T P	around all the time nods, unsmiling
109	т	gazing at patient and nodding
110	_	(3)
111	Р	stops nodding
112 113	т	looks down looks up to patient
114	Ť	°h s' praps have a look at yer walkin' again to↑morrow
115	P	up to therapist mouths 'OK'
116	•	
117		(0.5)
118		they are gazing face to face and both sit still
119	_	· · · · · · · · · · · · · · · · · · ·
120	T	smiles
121 122	Т	I was thinking today cause you've been (.) \uparrow resting over the \$week \downarrow end\$

123	Р	\$°heh°\$
124	Р	big smile and laugh
125		
126	т	=like you ∱said you said you (we-) get a bit
127	т	↑la:zy don't y{ou }
128	Р	{yeah} ↓yeah
129	Р	nods, looks down
130		
131	т	↑yeah
132	Р	√yeah
133		both are looking down now
134		<u> </u>
135	Т	looks up toward patient
136	т	=had about enough for today
137		(0.5)
138	Р	moves head and gaze to look at therapist, nods slightly
139		
140	Т	smiles as patient sighs
		her shoulders jiggle as if laughing too
141	Р	<i>((sighs))</i> °hhhh yeah I ↑think ↓so heh heh heh
142	Ρ	sigh and big smile nods

S4Ph9PaST1/10.48

	and a	ent has just come to the end of a short walk in the gym with the assistance of Physiotherapist 9, a junior physiotherapist a walking frame. The junior has fetched the patient's wheelchair and she has sat down in it. patient sits looking at the therapist, therapist is crouched on floor to patient's left (stroke) side, junior in same position on iaht.
1	Т	you've done ↑ <u>ver</u> y ↓well
2 3	Р	(0.5) good. (I'm) glad to hear that
4		(.)
5 6	т	<u>much</u> better (1)
7	Р	°can't talk very well°
8	Ρ	turns to look at junior therapist
9 10 11 12	T P	(patient [↑] name) (.) we need to (.) make sure that you can <u>walk</u> on yer own don't we <i>turns to look at therapist</i>
13 14 15 16 17 18	P T P P	(.) ooh we do: yeah so that {you can n:} {we ↑do: } an I'll (t) try and ↑help voice sounds tearful towards end of this utterance
19 20 21 22	T J P	=↓yeah >you're doin everything ↑right (.) so far {t- (.) } to ↑get there {↑mm} raises right hand towards own mouth

23 24 25	Ρ	(.) right hand is now resting on her chin, looks down and to right, away from Therapist 9, eyes are downturned ((?sad/ashamed))
26 27 28 29	т т	<i>brings right hand to patient's left shoulder and rubs it, tilts head close to patient's face, gazes at patient's face face, gazes at patient's face, gazes at patient's face, gazes at patient's face, gazes at patient's face face, gazes at patient's face, g</i>
30 31 32 33	T T P	strokes patient's left arm °jus gonna take you back° ((soothing tone)) hand remains on chin, continues to look down hand lowers towards her lap
34 35 36 37	?P	t (1)
38 39 40 41 42	T J T	stroking patient's arm you're doin everyt [^] hin { [†] right } {you [†] a}re you're doin ever so well (patient {name) mo}re than you realise {ny-}}
42 43 44 45 46	P T P T	↑u↓uh =an we'll sort you out with the right <u>frame</u> or ↑whatever (.) an you'll be fi:ne good <i>((sad tone))</i> ↑alright (.) well done you've done brilliantly the therapists wheel patient out of gym in her wheelchair

S1Ph2PaCT2/2.59

1 2 3	T T P	kneeling at the patient's left foot, one hand is over front of patient's left knee, appears to apply pressure through this hand, to keep the knee straight, her other hand is behind the patient's left hip appears to decrease pressure on patient's knee, and the knee bends somewhat try an <u>straight</u> en <i>î</i> that <u>knee</u> ag <i>î</i> ain stands with his right, unaffected hand on a table in front of him, he appears to be leaning on this hand fairly heavily
4	т	appears to push the knee straight again and then release pressure and it bends again
5 6 7 8	т	(2) (and) keep it ↑there (2)
9	т	looks up to patient, continues pushing on and releasing his knee
10	Т	ooaa (.) don't know about you (patient name) but I'm gettin very <u>hot</u> here
11	Р	continues to look ahead and down
12 13 14	Ρ	uh
15	т	looking down at patient's leg
16	Т	straighten that [↑] knee
17	-	(3)
18 19	Р	() quite cool on the floor actually
20	т	well yer ∱foot <u>was</u> wasn't it
21		(2)
22	т	go on keep that ↑knee <u>straight</u>

23 24 25 26 27 28 29 30 31	T P T T P	 (2.5) OK now from <u>there</u> (patient name) (.) can you [↑]<u>gently</u> (.) sit yerself down (4) sits down smoothly and slowly glances at patient then at door of treatment room good (.) that was better looks straight ahead
32 33		(2)
34 35 36	T T	glances at patient O [↑] K
37 38 39 40 41 42 43	Ρ	O↓K (3)
	T T P P	looks at patient and moves head so that her face is more aligned towards him can you see the <u>pur</u> pose of this (.) doing this yes leans back slightly, wipes mouth with hand, continues gazing ahead, rather than at therapist who remains on his left
44 45 46	т	drums fingers on bed behind patient for first few seconds, looks at patient through most of the silence (23)
47 48	Р	looks ahead
49 50	т	right

51 52 53	Т	turns and tilts head more to the patient and leans in towards him slightly (0.5)
54 55	Т	so going again (1)
56 57	Ρ	no movement
58	Т	taps patient's left hip, continues to look at him
59 60	т	(n) try and get it so you can do it (0.5) with minimal ass↑istance (with) keeping this foot down
61 62		(2)
63 64	т	OK (.) that's the aim of today
65		(2)
66 67	Ρ	starts to lean forwards at end of this pause
68	т	↑right
69	P	√right
70	•	(1)
71	Р	during his 'right' and the pause that follows, he leans forward more and his bottom briefly leaves the treatment bed,
•••	•	he wobbles a little, then sits down again
72		
73	т	so it = think about it first (.) right (.) you're leaning <u>for</u> wards
74	Р	starts to stand again
		this attempt results in him reaching standing position

S3Ph5PaNT2/2.25

1		Therapist and assistant stand on either side of the patient who also stands, therapist is to patient's right, assistant to the left.
2 3 4	A T P	Assistant's right arm is round patient's waist, she reaches with her left hand out to the side, and looks at this hand Therapist has one hand over patient's sternum, and her right leg stabilises patient's right (affected) leg, therapist is looking down at patient's right leg/foot and again reach {it } over {reach } looking at assistant's hand and reaching towards it she leans to the left somewhat as she does so
5	P	(0.5)
6 7	P P	Σuh <i>tapping assistant's hand</i>
8	Α	↑go:od (.) and (release)
9 10 11 12	Ρ	holding assistant's hand and lowering arm slightly
	т	long camera glance, then looks forwards (1)
13 14	Ρ	returns to more central body position, takes her arm off assistant's hand, looks forward
15	Α	reaches her left hand out to side again and looks to it
16	Α	↑an ↓gain ↑reach
17	Ρ	looks to a left arm
		starts to reach to it, looking to it
18		

19 20 21 22 23 24 25	T A P	 (1) <i>looks down to patient's legs/hips</i> bring yer hips over to me (1) <i>lowers hand, following assistant's hand downwards towards end of pause</i>
26 27 28 29	T T A	looking forwards °OK h think we just lost° the h{ips } {yeah }
29 30 31 32 33 34	T A T P	looking forwards looking down that time {(assistant name) so} {I'm sor↑ry } turns face to therapist, raises eyebrows shaking head
35 36 37	A P	starts to raise her arm with the patient's hand in hers (.) turns gaze to her left arm
38 39 40 41	T P P	take the hips across ∱ <u>firs</u> t {if w}e ↑can {oh} <i>hips appear to move across to left somewhat</i>

42 43 44 45 46	A T T P	moves hand further to the left looks to assistant and patient's hands as they reach ((louder)) and <u>now</u> re <u>ach</u> (.) for (assistant name)'s looks and reaches further over
47 48 49 50	T T P P	looks at back of patient's body/legs ha{nd = <u>be}autiful</u> that is ↓good {oh yes} appears to wobble slightly, right heel comes off ground lowers arms slightly as assistant does so opens mouth
51 52 53	A P	bett↑er opens mouth looks questioning, looks forwards furrows brow
54 55 56	T P	=well done (patient name) mouths 'well' glances to therapist (who is still turned and looking at back of patient's body), then looks to assistant whose head and gaze are turned towards patient
57 58 59 60 61	P A P	I I (haven't go{t the)} { so} shaking head and looking towards assistant

Α	↑hips fir{st}
Ρ	{ l :}:
Ρ	turns head to opposite side to look to therapist
т	is looking forwards looks to patient's face
Р	haven't got the hang of this
	looking at therapist's face
•	looking at incrapict o labo
т	looking at patient's face
Т	yeah I <u>think</u> you perhaps 1 have
	gazing at therapist
•	turns head to look forwards (away from therapist)
	tame hour to look forwarde (away from thorapiet)
	(.)
	(\cdot)
Δ	both look at patient's face
	reach over look over
г	looking forwards mouth open
•	to a standia visit hand which is startaked and to side
Α	taps patient's right hand which is stretched out to side,
	moves her arm further out to side
T	{now reach} for (assistant name)'s ↓hand up there
Ρ	{°hh yeah}
Р	looks at her hand and the assistant's
	P P T P T T P A & T P A T P

85 86 87 88	T A P	{reach } { [†] reach} <i>tapping assistant's hand</i>
89 90		(3)
90 91 92 93	T A	{OK } {(alright)}
94 95 96	A T P	and {relax} {and } just gently (.) back all 3 are returning to a more central position, patient opens her mouth ((?as if to speak)) lowers her hand along with assistant
97 98		(.)
99 100 101 102 103	T T P	<pre>points to (?touches) patient's right knee can you straighten this ^knee for m{e } {yes }</pre>
104 105		(.)
106 107 108 109	T T P	puts hand back on patient's sternum /chest ^that's it (.)

110 111	Ρ	(1) opens mouth slightly
112 113 114 115 116	T T A P	looks to patient's face we'll do that once {^more} {hips } opening mouth more
117 118	Α	o∱ver
119 120	Ρ	(0.5) appears to be mouthing a word ((cannot discern what word))
121	т	at patient's face rapid look forwards (following an audible bang elsewhere in gym) looks to patient's face
122	т	{touch (assistant name)'s}
123	Р	{ just a min}ute \$al∱right heh\$
124	Р	closes eyes ((expressing concentration?))
		nods, then looks forwards swings head round to look to therapist's face
125		
126	т	at patient's face
127	Т	↑hey
128		
129	A&T	both look at patient's face
130	P	jus a just a minute
131	Ρ	looks to assistant
132 133	Α	(O [↑] K)

134	т	does it what so{rry}
135	Ρ	{ju}st a {minute}
136	Α	{just a } minute
137	Ρ	looking forwards
		nods
138		(.)
139		
140	Р	{yes }
141	Т	{O ⁺ K}
142	P	looking at assistant
143	•	
144	т	taps front of patient's chest softly, twice
145	•	(.)
146		
147	Р	=alright
148	•	-anght
149	т	takes hand from patient's chest and onto own hip, body shifts away from patient somewhat
150	Ť	=>you tell us when you're ready
151	P	looking at therapist
152	Г	iooking at therapist
152	Р	$()$ ready Λ
		() ready ↑now
154	Ρ	looking at therapist
		nods and moves left hand up and down slightly
155	_	
156	Т	O↑K
157		

158 159 160 161 162	T A P P	moves in towards patient again =(k) yer hips {over to me} { l'm tryin } hips move left slightly looking forward, eyelids down
163	A&T	looking at patient's face assistant reaches her left hand out and looks to it
164	Α	{that's it}
165	Т	{tryin to } th{ink it all } ↑through aren't you
166	Р	{(that's it)}
167		
168	Т	head nods and looks (eye points) at assistant's hand
169	Р	↑yes (yes) {\$heh heh}
170	Т	{now } {reach for } (assistant name)'s hand then
171	Α	{(my hand)}
172	Р	nods looks to therapist's face
470		looks forwards
173	п	
174	P	Σ uhh
175	Ρ	reaches and touches assistant's forearm, is looking forwards
176	-	
177	Ţ	looking at patient's face
178	Т	(now) can you ∱see it
179	Ρ	gazing forwards, reaching
180		
181		(1)
182	Ρ	turns head and gaze to assistant's hand

183 184 185 186	P P	yes moves her hand up towards assistant's hand, reaching out towards it
187	Т	is still looking at patient
188 189	Т	\uparrow that's it (.) tap the top of her fingers (patient name)
190		(0.5)
191	т	tap those fingers (.) 1 like that (.) tap tap tap
192	-	(0.5)
193	Т	↑five taps for {me}
194	P	{oh} you want me to go{(t:)}
195	Ţ	{I } certainly do=
196	T	=five ta{ps (ic)}
197	P T	{ooh I }
198	Т	go on = like that ↑one. two.
199	Α	=yer hips over
200	-	(0.5)
201	Т	and then come back (.) cross
202	-	(.)
203	Ρ	but um hhhhhhhhh tch °hhhhhhhh
204	_	(1)
205	Ρ	(it is the bit (.) affect the that side) it didn't affect ↑that side at all
206	Ρ	looking at therapist, ((face expression looks puzzled))
		indicates her left hip with her left hand,
~~~		head gestures towards left side
207	-	
208	Т	the ↑stroke ↓hasn't
209	Р	n.

210 211	T P	is that what you $\uparrow$ mean the stroke hasn't affected $\uparrow$ that side $\uparrow$ no
212	-	(.)
213	P	um
214	Т	do you want to sit down and tell ↑me or
215		(.)
216	Р	no I'll be alright in a minute
217		
	Т	points to patient's left arm
218	Т	are you thinking that we're working that arm getting you to $\uparrow$ do things (.)
219	Т	{and that isn't} the $\uparrow$ weaker arm is that what you're saying
220	Ρ	{°h ( )}
221	Ρ	I'm trying to figure out °hh what (the right) to 1 do
222	т	yeah (.) OK
223	Р	(l'm) alrigh
224	Т	=is that what you mean {(.) th}at you think that the stroke hasn't affected
225	Ρ	{uh}
226	Т	that arm and we're asking you to $\uparrow$ do things with that arm
227	Ρ	↑no
228	т	=no OK
229	Р	but um
230		(1)
231	Ρ	aah (.) I'm getting so \$bamboozled with which leg's which\$
232	Т	°↑O↓K°
233	Т	{tell me what you're}
234	Α	{finding it diffi ¹ cult }
235	т	bamboozled {with}
236	P	{^no}
237	P	looking towards assistant
	-	

238 239 240 241 242 243 243 244	P T T T T	I'm (all) bamboozled °hh ↑with ↓what I'm supposed to ↑do OK (.) well we're practising standing (.{) OK} {yes} and we're just trying to practise getting you to take weight through both legs O{↑K y- (.)} uh ↑yeah and you can feel that I'm here {(you p: )}
245	т	moves her leg slightly, this leg supports patient's right leg, so patient's leg moves slightly too
246	Т	just making sure that (.) >°this knee isn't°
247	Т	>so as yer standing on this leg (.) ohh yer getting some fnice weight >and I can feel the muscles working
248	Т	There {(.) a}nd at yer knee O{K}
249	Ρ	{yes} {so} you want the muscles at my 1 knee to work
250		(.)
251	Т	they are w{orking } they are working
252	Ρ	{working}
253	Ρ	ah yes {an the} muscles °h ( ) at the (tomp tomp) t{op of my leg}
254	Т	{OK } {yep ↑they're} working as well
255		
256	_	face to face gaze
257	Т	but what we're trying to do by getting you to
258 259 260 261	T T P	points towards the left reach over and move yer weight onto ↑that: ↓leg °h O个K yes

## S1Ph1PaBT2/11.04

1 2	Т	wheels wheelchair away from treatment area, turns and walks back (18.00)
3	Ρ	sits still on the treatment bed,
4		then wipes eye with right hand, then hitches skirt
5	Т	as she re-enters treatment cubicle area
		starts to move to sit down is sitting down
6	т	°h <u>right</u> <so about="" just="" th="" then="" thinkin="" um<=""></so>
7	Ρ	gaze to middle distance
8		gazes down to her hand
9 10 11	т	takes hold of patient's left hand stretches it out, both patient and therapist now looking down at hand (2.0)
12	т	glance up to patient
13	T	things that we need to <u>work</u> on you've got your hh°hh <u>transfers</u> now do{ne with} yer family
14 15	P P	{yeah } gaze to therapist's face
16	Г	gaze to therapist's face
17	Т	gaze to patient
18	Т	so that's $\downarrow$ good but <u>ul</u> timately I'm sure you'd like to be able to transfer on yer own wouldn't you
19 20 21	P P	yeah nods, gaze down
22		

23 24 25 26 27	T T P P	<i>glances to patient and gestures with right hand</i> so: °hhh we could still do I'd (.) st- >you're very <u>near</u> to standing inde <u>pen</u> dently {↑aren't ↓you} {yeah mmhm} <i>nod</i> s
28	Т	gaze down patient's hand gaze to patient's face
29 30 31 32	T P P	=but probably you wouldn't trust yourself to do it <u>quite</u> {on yer own } {not just just } <u>yet</u> >no <i>shakes head</i>
33 34 35 36 37	T P P	face-to-face gaze >so maybe we could have <u>that</u> as a ↓ <u>go{al</u> } {mm} <i>nods</i>
38 39 40	P P	= ↑mm nod
40 41 42 43 44	T P P	= t do it (.) ↑say in a ↑week ↑yes <i>lots of nods</i>
45	т	gesture - pointing down gesture ((indicating 'here')) flat hand (('dismissing')) gesture
46 47 48	T P	=to be able to <u>stan</u> d in <u>phys</u> io without <u>me</u> doing a ↓thing nods throughout

49	Р	that'll be ↓good
50 51	Ρ	nodding
52	Т	looks forward away ((expression of 'thinking hard'))
53	т	yeah in >fact I 1think you could almost do it now >>that's the thing maybe you ought to not do it in physio maybe you
54	-	
55	Т	gaze to patient
		points in other direction (towards the ward)
56	Т	ought to be able to do it <u>on</u> the <u>ward</u> as <u>well</u>
57	Ρ	looks down
58		
59	т	{°hh }
60	Ρ	{mmhm}
61	Р	nods
62	-	
63		face to face gazing
64	Т	so from yer ∱wheel↓chair {to } be able to sta:nd on yer {own }
65	Ρ	{yeah } {yeah}
66	Р	repeated nods
67		
68	Т	thumbs up sign
		touches patient's left hand again glances to patient
69 70	Т	>brilliant OK °well we'll have that ongoing° °hh well this is feeling quite O ⁺ K

71	т	gesture- stretching out hand reaches her right hand to patient's left elbow
72	P	↑ye{ah}
73	T	{↑y}eah

## S1Ph1PaGT1/11.11

1	т	having walked with patient into the treatment area and answered a question the patient asks about the location of another member of staff,		
2 3	T P	sits on a wheeled stool which she has positioned so she is directly facing the patient $^{O}\underline{V}K$ : = well whad I want to <u>do</u> today is just have a: good look at (.) (h) how sitting on treatment bed looking at therapist big in-breath visible		
4 5	т	points to his left arm with her right hand		
		points towards end of treatment bed with left hand glances to end of bed		
6	Т	yer <u>trunk</u> is and how yer arm is really and <u>how</u> yer able		
7	Ρ	opens mouth slightly		
		raises right arm and reaches it over to left, lowers gaze to his left arm		
8				
9	т	hands are back on her lap		
10	Ť	to ge(t) up n off the bed n things like that really		
10	л П			
11	г	head and gaze lowering		
		by now, his pointing right index finger is touching the back of his left arm, just above the elbow his head is turned well towards his left arm		
10		now points more distally to forearm and begins to softly pick and scratch at it		
12 13	т	looks up towards patient's face, then down and up		
13	- -	looks up towards patient's face, then down and up		
14	I	just to get a good ∱picture of what you:'re <u>a</u> ble to do so that we can work out whe:re there's problems		

15	Т	and what we can $\underline{\uparrow} do$ about them is that O	ſκ
16	Р	continues scratching	raises right hand off left forearm
		-	still looking down and to left at left forearm/arm
17			
18	Т	raises chin slightly to patient	
19		(1.5)	
20	Р	gestures - moves hands to an open positio turns to therapist face, eyebrow raise, gaze	
21			
22	Т	gazing at patient, sitting still	
23	Т	what would 1 you say your biggest problem	s are
24	Р	zenith of open hand gesture	
	-	hands start lowering	
		•	ooking at therapist through spectacles
			left hand now back on lap, right hand is down but not on lap
25			
26	Т	sitting still and looking at patient	
27		(2)	
28	Ρ		im and starts lean forwards, and looks down and slightly to the right
29		_	
30	Т	slight nod	
31	Т	whilst you're here in ↑hospi↓tal	
32		,	
33		(2)	
34	Р	still leaning forwards	
35		5	

36	Т	wheels back on her stool, face to face gaze
37	Р	my ↑left and ↑right arm
38	Ρ	still going forwards slightly
		now sitting still
39		<b>J</b>
40	т	eyebrows raised
41	Т	=your <u>left</u> ↑and right ↓arm
42	Р	sitting still, leant well forwards
43		
44		(2)
45	Р	nods, pushes self on bed slightly, sits upright, raises two forearms, elbows flexed
46		
47	т	looking at patient's face
77	•	
40	-	glances down to his left elbow then back at patient's face
48	P	when I <u>fell</u> I (h)it both the elbows here
49	Р	touches his left elbow with his right hand
50		
51	Т	=ri{ght }
52	Р	{(they're) } (very) painful
53	P	slight finger tap on left elbow with right fingers
54	•	sight high tap officit cloow with fight highs
	т	amall had amall hand may amanta
55	T	small nod, small hand movements
56	Т	so the $\uparrow$ pain in your left and right arm >is your biggest <problem< th=""></problem<>
57	Ρ	starts to bring right hand to front of left forearm
		looks down at his left arm
58		

59		(0.5)
60	Ρ	starts to scratch or pick at some part of left forearm, looking down at arm
61 62	Р	yeah
63		
64 65	т	OK: °hh do ∱you =is there anything
65 66	т	looking to patient's face
67	Ť	that you $\uparrow can't$ do at the $\uparrow$ mome:nt (.)
68	P	raises eyebrows, turns head towards therapist, opens mouth
69	•	
70	т	nod
71	Ť	um that you'd 1 like to be able to do by the time that you go out of hospital
72	P	looking at therapist, right hand is still picking/touching left forearm
73	-	
74	т	nod, and a gesture in which her right fingers tap on left index finger ((as if counting))
75	Р	put me socks on
76	Р	furrows brow slightly
77		
78	т	put yer socks on OK so what ↑limits you puttin yer socks on
79		
80	т	at patient smiles
81	Р	me arms >are (not) long enough and me legs are too <long< th=""></long<>
82	т	gaze at therapist, lowering hands to lap smiles
83		

84	Т	nod and glance to patient's legs
85	Ť	\$uh heh OK so unless we s:aw a bit off yer legs n add a bit to
86	P	gazing at therapist
00		returns right hand to back of left forearm
87		returns right hand to back of left forearm
	-	reises hands together slightly, then lowers them towerds the floor
88	Т	raises hands together slightly, then lowers them towards the floor
	_	body leaning forwards and to the right, head turned left slightly
89	Т	yer arms\$ °hh is it that you can't
90	Ρ	looking at therapist
		big nod, with a slight glance to left (?at camera) as he raises gaze back to therapist
91		
92	Т	coming up again
		is upright
93	т	↑reach <u>far</u> enough forwards
94	Р	two small nods
95	-	
96	Т	raises two hands, and 'waggles' fingers
97	P	(°that's°) r{ight}
98	Т	
		{ye }p. °h and whad about yer
99	Ρ	glance to patient's gesturing hands
100	_	
101	Т	slight up down hand gesture
		drops hands at wrists
102	Т	>hands can you <↑use yer hands al↑right with yer
103	Р	takes right hand off left
		open hand gesture - hands held in front of therapist
		looks down to fingers and waggles them, similar to therapist's movements

104 105 106 107 108	T T P	lowers hands down between knees again socks once you ∱get there fingers still, brings hands together more
109	т	sitting still and looking at patient
110 111 112	Ρ	(3) looking down (?to right palm), then fairly slowly raises head and gaze to therapist
113	т	nods
114	P	l've been ∱ <u>us</u> ing me hands
115	Ρ	gaze at therapist's face hands are still held together, and above his knees
116	_	
117	T	nodding
118 119	T P	=yeah {so it's actually a ↑reaching} <u>down</u>
120	Г	{(but)( )}
121		(.)
122	Ρ	gazing at therapist puts two hands down on the treatment bed at either side of him
123		
124	т	raises 2 hands briefly , points forwards with both index fingers, then palms flat to touch sides of own knees pushes backwards on her stool looks down to her own legs
125	Т	just ∱show me <u>now</u> if you wouldn't mi:nd
126 127	Р	starts bend forwards

128	т	moves her hands down to sides of shins, gaze downwards starts to bend forwards and down to floor, hands down, gaze down
129	т	°h (.) >puttin yer 1 hands by the 1 sides of yer legs and let's
130 131	Ρ	takes hands off bed and to sides of his legs, and slowly bends forwards, looking down
132	т	comes up rapidly and opens knees apart and looks at patient, hands held open and slightly off knees looking at patient as he bends
		opens hands even wider
133	Т	<fsee can="" comfortably<="" far="" fre:ach="" how="" th="" you=""></fsee>
134		
135		(2)
136	Р	continues descending for about one second
		pauses slightly whilst down
		then reaches towards his left arm with his right one and turns head round to look at left arm
137	_	• • • • • • • • • • • • • • • •
138	Ţ	follows patient's head as it rises and looks towards patient's face
139	Ρ	(I've 'urt) ↑me arm up there you see (   {
140	Т	{O:↓K}
141	Р	touches left upper arm and strokes up it with right fingers, looking at it
142		
143	Т	reaches forwards and down and sideways to patient's right foot
144	_	(0.5)
145 146	Ρ	lowers his right hand, still looking at left arm

147	т	now has hold of patient's right foot
148 149 150	T P	moves patient's foot to the side and forwards d'you want to just ↑put that foot a liddle bit ↑wider then you'll feel moves right hand down to 'rub' posterior forearm slightly, still looking at arm
151	т	hand off and starts to come up, looking down at patient's leg now sitting upright
152	т	a bit more stable °hh
153 154	Ρ	still picking/scratching, and looking at left arm
155	т	demonstrates moving own hands down sides of legs, dipping them down then up hands back loosely held and resting between knees
156 157	т	'K just ∱see how far you can ∱reach ↓down
158	т	sits still and looks down at patient's legs, at about 1.5 seconds, starts to raise her gaze up to patient's face
159		(4)
160	Р	as therapist's gaze reaches him, he meets it, stops scratching and moves hands to sides of legs, then bends down
		right leg moves backwards as he bends, does not get as far as floor, slight pause in bent position
161	_	
162	T	looking down
163	Т	↑o↓κ
164 165		(.)

166	т	watches patient as he comes up
		gazing to patient's face
167	Т	>and back up ag <u>ain</u> °hh so. (.)
168	Р	starts to come up
	-	gaze to therapist's face,
		hands now on lap
169		hando now on hap
170	т	straightens back, wheels closer to patient on her stool
170	•	slight head shake
		starts a gesture - left little finger held by right fingers ((reckoning or counting))
171	т	
	T	we could îprobably: (e) set a îgoal then
172	Р	sitting still, looking at therapist
173	_	
174	Т	looking at patient, continues the gesture
		push on finger
		push on finger
175	Т	for you like a ∱gi- like a <u>∱joint</u> goal that
176		
177	Т	we'll- I'll (.) look at at achieving with the occu∱pational therapists
178		
179	т	raises her right hand in a brief pointing gesture at patient then holds her hand flexed
180	т	°hh that you can ∱reach and put yer ∱socks on °h ↑maybe we should <u>say</u>
181	P	head and gaze go down lowers hands towards bed at his sides and opens mouth slightly
	•	appears to look at therapist's face over his spectacles
182		
102		

183 184 185 186	T T P	slight nod within (.) ↑two weeks that you can do ↑that d'you think that's fair en↑ough head and gaze up to therapist face slight straightening of trunk, leans back
187	Р	= <u>I</u> (.) I $\uparrow$ put them on $\uparrow$ <u>now</u> by >laying on the bed
188	P	gaze at therapist
100	•	holding edge of bed with each hand
189		
190	Т	chin raise then nods once
		quick gesture, pointing with right hand towards the left then down again
191	Т	√ri:ght so you've ↑found <u>one</u> method >of doing it
192	-	
193	Т	rapidly raises left hand pointing to left then forwards and down at patient hand movement - bending at wrist
194	Т	but would you ↓nor:mally
195		
196	Т	bends at wrist
		another wrist bend
407	-	hand open and held up
197	Т	when you're at ↓home do it in ↑sitting
198 199	Ρ	starts to lean forwards to therapist
200	т	holds left hand out
201	•	(0.5)
202		

203 204	T P	still holds left hand up with thumb touching tip of ring finger normally
205 206	Ρ	slight nod, is leant forwards and looking at therapist
207	Т	lowers left hand to lap
		raise left hand again and does a small up and down movement of hand points to patient with left hand
208	Т	=right so we'll $\uparrow$ try an look at ways of doing it in $\uparrow$ sitting (.) within a
209		
210	Т	left hand points downwards
		lowers left hand to lap
211	Т	a fortnight 1 yeah >so you can do
212	Р	drops chin down once
213		,
214	т	continues to gaze toward patient
215	Т	it <com∱pletely on="" own="" th="" yer="" °hh<=""></com∱pletely>
216		
217	т	raises both hands up and inwards and flexes trunk slightly
218	Ť	{(so) it} 1 might be that you can
219	Ρ	{right }
220	P	looking at therapist over his spectacles
221	•	

222	т	adjusts feet to demonstrate a movement of bending down, hands either sides of her legs and looking downwards
		starts to come up
		is back up and looking at patient
223	Т	we can either $\uparrow$ increase the amount you can $\uparrow$ re:ach or that we can
224	Р	raises right hand up slowly, looks down
		touches face and scratches it
225		
226	Т	right hand gesture
		looks down, wheels backward slightly and raises right leg to cross over her left knee returns gaze to patient's face, keeps legs crossed
227	Т	get the occupational therapists to show you (.) ways like crossing yer legs
228	Р	stops scratching his face
229	_	
230	Т	gaze to patient
		two-handed gesture over towards her left
		uncrosses legs
		gestures with both hands in front of her
		now sitting quite flexed,
		forearms and hands rest between her legs, looking at patient
231	Т	or using a stoo: I or somethink or other
232	Ρ	moves hands down to the bed at his sides again
		starts a movement of his left hand backwards and slight trunk rotation
233		
234	Т	sitting still
235	Ρ	=(I) usually ↑lie down n
236	Ρ	leans back and right, looking left and down as if he is going to lie back onto treatment bed

237	-	
238 239	I D	opens mouth slightly wider
239 240	P P	n m: ( ) leaning back still, but looking at therapist, his raised left arm gesturing
240 241	F	rearing back still, but looking at therapist, his raised left and gesturing
242	т	nods slightly
243	Ť	>n <u>do</u> it [↑] at the [↑] mo{↓ment }
244	P	$\{^{\circ}()^{\circ}\}$
245	•	
246	т	quick downward shift of head and gaze
-		'counting' gesture again, tapping on her left little finger with two of the fingers of her right hand
		gaze at patient
247	Т	$<\uparrow O\downarrow K$ . so °h we'll look at $\uparrow$ one then for putting yer <u>socks</u> on
248	Ρ	left hand on lap,
		continues gaze to therapist's face
		looks down, hands down on bed
249		
250	Т	now starts to tap left ring finger
251	Т	is there anything with yer $\uparrow$ arms that you've got problems with
252	Р	raises head and looks up to therapist's face
253	_	
254	Т	rapidly raises both hands and holds up and moves fingers
0 <i>E E</i>	<b>-</b>	lowers hands to lap
255		you know ↑actually <u>us</u> ing yer <u>arms</u> is there ↑any ↑activity that you've found you ↑can't ↑do
256	Ρ	sits back and upright slightly more leans forwards, closer to
957		therapist
257		

258	Т	straightens up trunk and wheels slightly forwards on stool $\phi$
259	Ρ	<u>=↑writing</u>
260	Ρ	continues lean forwards
261		
262	Т	gaze at patient
		stool going forwards
		big nod raises right hand, pointing
		points right
	-	then left, keeps pointing to the left
263	Т	°h writing (.) alright ↑now (are) you ↑right or ↑left handed
264		
265	Ρ	∱right.
266		ŭ
267	т	pointing hand moves to point centrally, at patient
268	•	(.)
269		$(\cdot)$
	-	nainta fanuarda ta nationtia trunk
270	Т	points forwards to patient's trunk
	_	points to left again
271	Т	°h now it's your $\uparrow$ left side that's affected by the $\downarrow$ stroke is{n't it}
272	Ρ	{ <u>no</u> }
273	Ρ	slight head shake
274		5
275	т	looks to patient, moves pointing towards right
276	•	
		(.)
277		

278 279 280 281	T T P	points right your ↑right ↓si:de (.) slight nod
282	т	reaches and quickly pats patient's right knee touches own chest flexes trunk slightly,
283 284	т	<i>clasps hands together and squeezes them between her knees</i> >°am I with you° ↑ooh yer ↑right yes it's ↑my fault (.) ↑ <u>sorry</u> 'cause you're using
285 286 287 288 289 290 291 292 293 294 295 296 297	T T	<i>starts several small nods</i> your ∱stick in yer left hand aren't you
	Ρ	(.) slow nod once
	T T P	<i>keeps nodding</i> °h <u>right</u> so you ↑can't <u>write</u> so we could look at <u>how</u> you ma- (how you're) <i>moves right hand back very slightly</i>
	T T P	stops nodding able to ↑write as well slowly starts to lean forwards
298 299 300	P P	>I used to be able to < <u>write</u> ¹ nicely continues forwards leaning movement stops, remaining forwards

301 302 303 304 305	T P	<pre> ↑OK: can ↑you: at the ↑moment write yer signature or ↓not     starts to go back slightly (.) </pre>
306	Р	∱just.
307	P	continues slowly back
308	-	
309	т	small nods and head side to side movements, rest of body is held still
310	Т	right so we could im↑prove >maybe on yer ↑signature
311	Ρ	leaning slightly further back, and also straightening
312		
313		(1.5)
314	Ρ	sitting still
315	_	
316	T	gaze at patient, she is sitting still, mouth slightly open
317	P	>I have to se- <sign (.)="" h="" me="" me:="" th="" ↑book<="" ↑pension=""></sign>
318	Ρ	small rapid lean back/straighten
319		is now upright small lift of right hand
320	т	nod
320	Ť	yep
322	•	(0.5)
323	Р	n me cheques
324	-	
325	Т	quick raise of right hand up and gestures holding a pen
		adjusts own spectacles
326 327	T P	$O \downarrow K$ >well <shall <u="" we="">try an ach ieve that in a $f$ week to have a more (.) legible: signature sitting still and looking to therapist's face, face to face gaze</shall>

328 329		(.)
329 330	т	lowers her hand to her lap
331	т	d'{you ↑think}
332	Р	{oh it's } ↑legible
333		
334	т	looking at patient's face
225	-	sideways movement of head
335 336	Т	∱right but you you would pre <u>fer</u> it to be <u>better</u> than it is
337	Ρ	yes
338		
339	Т	looking at patient, nodding
340	Т	O $\downarrow$ K so (.) °hhh so for you to be happy with yer signature maybe in a <u>week</u> $\uparrow$ yeah
341	Ρ	reaches his right hand to his left forearm, looks down at it, and scratches again
342		(.)
343	Р	yeah
344		
345	Т	nod rapid movement of hands from resting together between her knees to tap on her own knees (audible)
346	Т	O VK right then would you m ind (.)
347		
348	Т	drops hands between knees again, then leans slightly further towards patient
349	Т	(patient name) >is it alright if I call you (patient name) not <(more formal patient name)
350	Ρ	continues to scratch / pick at and look at arm looks up to therapist
351		
352	Р	I should ↑like you ↓to
353	Ρ	looks up to therapist's face, right hand is still on his forearm *** End of transcripts ***